Effective date: 01.05.2024

HOMES SPECIFICATIONS

Kitchen Appliances

Oven Stainless steel 600mm fan forced oven.

Hot Plate Stainless steel 600mm gas cook top with wok burner.

Rangehood Stainless steel 600mm wide canopy range hood.

Dishwasher Stainless steel dishwasher.

Sink Double bowl stainless steel sink.

Tap Flickmaster tap, chrome finish.

Cabinetry

Cupboards

Fully lined melamine modular cabinets including overhead cupboards and cupboards above refrigerator space as per working drawings. Laminate finish doors from builder's range Category 1.

Doors/Drawers

Standard laminate from builder's predetermined colour boards.

Microwave Provision Standard laminate including single power point.

Kitchen Bench Top Laminate square edge from builder's predetermined colour boards.

Vanity Bench Tops 850mm high laminate square edge benchtop from builder's predetermined colour boards.

Handles Selected from builder's predetermined colour boards.

Bathroom & Ensuite

Basins

Vitreous china vanity basin (white).

Mirrors

1150mm high polished edge mirror to full width of vanity.

Bath

Vega 1500mm freestanding bath (white). Product Specific.

Shower Bases

Tiled shower bases with waterproof system throughout.

Shower Screens

Step free tiled shower bases with waterproof system throughout. (Product Specific)

Taps Chrome mixer tapware.

Shower Outlet Handheld shower, rail and slider in chrome finish to ensuite and bathroom.

Toilet Suite

Vitreous china, close coupled toilet suite in white with soft close top.

Accessories 600mm single towel rail or 2 no. hooks and toilet roll holders in chrome finish.

Exhaust Fans

Exhaust fans vented to outside air via a duct.

Ceramic Tiling

Wall Tiles

Wall tiles to kitchen, bathroom, ensuite and laundry where shown on plans. Tile selection as per builder's predetermined colour boards.

Floor Tiles

Floor tiles to ensuite, bathroom, laundry and WC. selection as per builder's predetermined colour boards.

Floor Coverings

Laminate Flooring

Builders range laminated flooring as shown on plan. Selection as per builder's predetermined colour boards.

Carpet

Carpet to area's not tiled or with laminate flooring. Selections as per builders predetermined colour boards and as shown on plan.

Paint - 2 Coat Application

Timberwork

Gloss enamel to internal doors, jambs & mouldings.

Ceilings Flat acrylic to ceilings.

Internal Walls Washable low sheen acrylic to internal walls.

Entry Door

Gloss enamel to front entry door.

Colours

Colours selected as per builder's predetermined colour boards.

Staircase (double storey homes)

Pine closed stringers, with MDF treads and risers with carpet cover. Pine No.8 wall rail. (dwarf walls by AHB). No balustrade.

External Features

Bricks

Clay brick selection from builders' pre-determined colour boards to single storey homes and ground floor of double storey homes.

Mortar Joints

Face Brickwork - Natural colour rolled joints.

Light Weight Cladding

Rendered lightweight foam to single and double storey facades including first floor of double storey facades. Finish and colour to be selected from builder's pre-determined colour boards (design specific – refer to working drawings for extent of cover).

Front Elevations

As per Working Drawings. Acrylic render to selected areas as per plan (Product Specific).

Windows and Doors:

Single Storey Homes

Feature aluminium windows to front elevation (Product Specific). Sliding aluminium windows to sides and rear. Double glazed awning windows and sliding doors as required to meet 7-star energy rating. Aluminium improved windows throughout.

Double Storey Homes

Double glazed awning windows and sliding doors throughout as required to meet 7 star energy rating.

Entry Frame

Aluminium, powder coat finish (Product Specific). Clear glazed sidelight(s) to double storey homes (design specific).

Front Entry Door

2040mm high feature front door as per facade.

Door Furniture

Front Door: Entrance lockset in polished stainless steel with deadbolt. (Product Specific).

Ext. Hinged Door

Entrance lockset in polished stainless steel to external door.

Infill Over Windows

Brick infills over all windows and doors (excluding garage front elevation) to single storey homes and ground floor only of double storey homes.

Door Seal

Door seal and weather seal to all external hinged doors.

Balcony Balustrade

Facade Specific

Balcony Tiling Builders range external ceramic tile.

Insulation

Ceiling

Ceiling insulation as required to meet 7 star energy rating (excludes garage ceiling).

Walls

Wall insulation including sisalation to external brick veneer walls (excluding garage) and wall between garage and house as required to meet 7 star energy rating.

Garage

General

Garage with tiled roof including Colorbond® sectional overhead door with remote control, rendered lightweight foam over garage door, plaster ceiling and concrete floor.

External Walls

Brick veneer.

Pedestrian Door

Weatherproof flush panel door, low sheen acrylic paint finish. (Product Specific).

Door Frame

Aluminium powder coat finish.

Door Furniture Entrance lockset.

Internal Features

Doors

2040mm high flush panel hinged or sliding doors (house design specific).

Door Furniture

Lever door furniture in polished chrome finish to all rooms.

Mouldings

67 x 18mm Beveled MDF skirting & 67 x 18mm MDF beveled architraves.

Door Stops

Plastic white door stops to hinged doors (where applicable).

Door Seals

Door seal to nominated internal doors. Note: This will be in accordance with energy rating assessor's report.

Hot Water System (Estate Specific)

Hot Water

Air-water heat pump system with 170 litre storage tank, and continuous mains pressure 20 litre gas booster.

OR

Gas continuous flow water heater system (up to 27 sq.'s - 20 L/M Unit & 28 sq.'s and above 26 L/M unit). Note: Continuous flow water heater will be used in estates where recycled water is available.

Laundry

Trough

Stainless steel tub and melamine cupboard with bypass.

Тар

Flickmaster tap, chrome finish.

Washing Machine

Chrome washing machine stops/grubs.

Plaster

Plasterwork

10mm plasterboard to ceiling and wall, water resistant plaster to ensuite, bathroom, above laundry trough including 75mm cove cornice throughout.

Plumbing

Taps

2 No. external taps. (1 to front water meter and 1 next to laundry door). Product Specific.

Roofing

Pitch Roof pitch to be 22.5 degrees.

Material

Dark colour on roof tiles from builder's predetermined colour boards to meet 7 star energy rating.

Fascia & Guttering

Colorbond® fascia, guttering and downpipes.

Heating

Heating

Gas ducted heating to bedrooms and living areas, (excludes 'wet areas'). Total number of points and unit size product specific.

Framing

Framing

Engineered pine wall frame and roof trusses.

Storage

Shelving

Walk In $\widetilde{\mathsf{R}}\mathsf{obe}$: One white melamine shelf with single hanging rail.

Robe One white melamine shelf with single hanging rail.

Pantry/Linen Four white melamine shelves.

Doors Robes: 2040mm high readicote flush panel hinged or sliding doors as per plan.

Pantry/Linen 2040mm high readicote flush panel, hinged door(s).

Handles Handles in polished chrome finish.

Ceilings

Height

2440mm (nominal) height throughout.

Electrical

Solar PV

Solar PV (Photovoltaic) System 2.5kW.

Internal Light Points

100mm diameter 240V downlights fittings (colour – white) throughout as per standard electrical layout (supply/install light globes to all light fittings in the home).

External Lights

100mm diameter fixed 240V white recessed downlight to front entry and alfresco where applicable. Weather proof Para flood light to rear as per drawings.

Power Points

Double power points throughout excluding dishwasher, microwave and refrigerator provision (refer working electrical plan).

TV Points

Two points including 5 metres of coaxial cable to roof space (one to main bedroom and one to living area).

Telephone Point

Two pre-wired telephone points to kitchen & Master Bedroom with wall plate as per working drawings including connection availability to the National Broadband Network (NBN) - *basic pack only.*

Switch Plates

White wall mounted switches.

Smoke Detector(s)

Hardwired with battery backup.

Safety Switches

RCD safety switch and circuit breakers to meter box.

Site Conditions / Foundations

Foundation Class

Up to Class H2 concrete slab with fall of land up to 500mm across the length and/or width of the allotment. Excludes concrete bored piers due to existing uncontrolled fill being placed on the allotment. If fill is shown on allotment, a lot specific level 1 compaction report is required or additional charges may apply.

Temporary Fencing

Supply and hire of temporary fencing to site where required to council requirements.

Silt Fence

Supply and hire of environmental silt fence to front of property as required by council.

Rock Allowance

Allowance of rock excavation and removal (If explosives or core drilling required, extra charge will apply).

Termite Treatment

Termite spray system where required by relevant authority.

Angle of Repose

Home to be sited a minimum of three metres from easement. (If sited closer then additional charges may apply).

Structural

Warranty

10 year structural warranty and 3 month maintenance warranty

Service Connections

Connections are based on an allotment of up to 650 square metres with a maximum six metre setback to house (connection to stormwater and sewer points are provide within the building lot, single phase underground power up to 12 metres from pit and same side dry water tapping). Does not included electricity and telephone consumer account opening fees.

NBN basic, cable, telephone points / 1 of data point, NBN conduit and connection point. BAL 12.5 - will be included FREE if required. Recycled Water – will be included FREE if required.

7 Star Energy

Minimum 7 star energy rating for standard house plans including all facades on any orientation. Based on Ballarat climate zone and like for like dwellings either side.

The builder reserves the right to substitute the make, model, or type of any of the above products to maintain the quality and product development of its homes. Changes may be made subject to Res Code requirements. A electricity transfer fee applies. V1 24.05.24

INCLUSIONS RANGE

Bathroom





Phoenix Sonata hand shower & rail in chrome

Executive shower screen tiled base



Towel rail & toilet roll holder



White acrylic bath





Shower Mixer in chrome

Ceramic basin - white



Toilet suite with soft close seat in white



Basin Mixer in chrome

Laundry & Hot Water Service



Laminated white cabinet with 45 litre stainless steel trough



Air-water heat pump hot water system with 170 litre storage tank, and continuous mains pressure gas booster (estate specific)



Gas continuous flow water heater system (estate specific. Will be used in estates where recycled water is available.)

INCLUSIONS RANGE

Kitchen & Flooring



Double bowl sink



600mm dishwasher 12 settings, 7 programs



600mm electric fan forced inbuilt oven with manual timer



600mm canopy range hood



Benchtop (Laminate)



600mm cooktop 4 burner w/wok cast iron trivets



Sink Mixer - Chrome



Bolero timber look laminate flooring

Garage & Roofing



Remote controlled Colorbond® Sectional overhead garage door with 2 remotes



Monier Atura roof tile

The builder reserves the right to substitute the make, model or type of any of the above products to maintain the quality and product development of its homes. Changes maybe made subject to Res Code requirements. Imagery for illustrative purposes only.