
# FITTINGS

Luxe fittings selected to make each home modern and inspirational. Selected based on in-depth research on each manufacturer to ensure the quality of the fittings are equipped to meet modern living standards.



- 1. Bath RD1675 Louve SQ Inset Bath Tub 1675mm
- 2. Vanity Basin EV75112 Virtue Insert Ceramic Basin

### 3. Shower Rose & Mixer

3.

141708 Aurora Rail Shower ZBAS2202 Luna Bath & Shower Mixer Chrome

4.

4. Bath Mixer ZBAS2202 Luna Bath & Shower Mixer Chrome

5.

5. Vanity Mixer ZBAS2201 Luna Basin Mixer Chrome

# APPLIANCES



1.





2.

3.



1.	<b>Kitchen Sink</b> Sagi Cove 760 Handmade Double Bowl Undermount Sink COSI760IUDB	4.	<b>Hotplate</b> TB64GWFSS-4 Bellissimo by Technika S/S Gas Cooktop with lightweight enamel Trivets 600mm
2.	<b>Kitchen Mixer</b> Z6608 Rondo RND Pin Handle U Shape Sink Mixer	5.	<b>Rangehood</b> CHEM52C6S-5 Technika 600mm S/S Canopy
3.	<b>Oven</b> TB60FDTSS-5 Bellissimo by Technika Built in stainless steel oven 600mm	6.	<b>Dishwasher</b> TBD4SS-5 Bellissimo by Technika 600mm S/S Freestanding Dishwasher
	Joinery Formica finish to doors and drawers Builder range of handles Benchtop 20mm reconstituted stone		<b>Pantry</b> 4 x 450mm deep white melamine shelves 2040mm redicoat flush panel hinged door/s (design specific)

20mm reconstituted stone with arris edge profile

# DOUBLE STOREY MEDIUM DENSITY INCLUSIONS

# STRUCTURAL, FOUNDATIONS & CONNECTIONS

#### FOUNDATIONS

- Engineered designed waffle pod slab (excluding Aflresco & porch)
- Land survey & soil test
- All earthworks

#### **COUNCIL & OH&S REQUIREMENTS**

- OH&S requirements and certifications
- All building permits & compliance inspections
- Crossover protection & silt sediment control
  where applicable
- Temporary site fencing, rubbish cage & scaffold hire
- Warranty Insurance & Occupancy certificate

#### CONNECTIONS

- 1x external water tap to rear in addition to mains metered water tap
- Connection of services water, gas, electricity, 100mm sewer, 100mm stormwater and telephone conduit
- Termite protection where applicable

#### FRAME

• MGP 10 stabilised pine 90mm wall frames and engineer designed roof trusses

#### **EXTERNAL CLADDING**

- Autoclaved Aerated Concrete (AAC) Masonry system OR Masterwall to front and rear walls, with feature render(plan specific)
- Approved fire rated wall board system to boundary walls
- Lightweight timber look cladding to feature areas of the facade(plan specific)

#### **ROOFING MATERIAL**

- Colorbond<sup>®</sup> metal roof from selected builder's range
- 2 degree pitch
- Colorbond® or similar gutters, fascia & downpipes

#### PAINTWORK EXTERNAL

- Low sheen acrylic paint to all external surfaces
- Semi-gloss enamel paint to front entry door
- Flat acrylic paint to eaves (if applicable)

#### WINDOWS

- Powder coated aluminium double glazed awning windows to front elevation and remainder of home (facade specific)
- Powder coated aluminium double glazed sliding doors to remainder of home (design specific)
- Keyed window locks to all openable windows
- Aluminium framed flyscreens to all openable windows with fibreglass mesh

#### FRONT DOOR

- Feature front entry door with translucent insert
- Trilever 890 TLE door handle with built in dead lock

#### GARAGE

- Concrete floor, plaster lined ceiling & part internal walls
- Colorbond<sup>®</sup> panel lift remote control garage door with two handsets
- Weatherproof hinged flush panel access door to rear garage and laundry doors powder coated aluminium door frames

## **WARRANTIES & GUARANTEES**

- 7 year structural guarantee
- All manufacturers warranties and insurances during the build

## **INTERNAL DETAILING**

#### **SKIRTING & ARCHITRAVES**

- 67mm x 12mm primed single bevel skirtings
- 67mm x 12mm primed single bevel architraves
- 75mm cove cornice

#### **CEILING HEIGHT**

- 2590mm ceiling height to ground floor
- 2440mm ceiling height to first floor

#### STAIRCASE

• MDF staircase with carpeted finish

#### INTERNAL PAINTWORK

- 3 coat paint system to walls
- Flat acrylic paint to ceilings
- Matt washable acrylic paint to internal walls
- 1 coat elite tricoat primer sealer
- 2 coat acrylic enamel ultratrim gloss to all internal woodwork and doors

# DOUBLE STOREY MEDIUM DENSITY INCLUSIONS

#### **FLOORING & TILES**

- Carpet to all bedrooms, ceramic tiles to wet areas and laminate floorboards to remaining living areas. Laminate flooring to be finished with external quads between floor and walls and expansion joints located as per manufacturers specification
- Wall tile layout refer to working drawings

#### **INTERNAL DOORS**

- 2040mm high x 620mm 870mm wide flush panel hinged doors with chrome lever door furniture or cavity sliding doors with flush pull door furniture (design specific)
- Privacy door handles to bathroom, WC(main) and master bedroom
- Air cushion door stops

#### ROBES

- One fixed melamine shelf with single hanging rail
- Quick slider robe doors to bedrooms

# **ELECTRICAL & 7 STAR**

- Iconic double/single powerpoints throughout as per electrical plan
- Internal/External: Energy efficient LED downlights throughout - refer to electrical plan
- Self-sealing exhaust fans as per working drawings
  vented externally where applicable or interlocked fan with delayed timer (design specific)
- Provide pre wired telephone point with wall plate
- Underground connection to supply pit
- 240v hardwired smoke detector with battery backup
- RCD safety switch and circuit breakers

#### SOLAR HOT WATER

 Solar gas boosted unit – 175L hot water unit or 20 litre continuous hot water with recycled water (as per developer guidelines & detailed working drawings)

#### INSULATION - 7 STAR(MINIMUM)

- R3.5 insulation to ceiling
- Sisalation foil wrap
- R2.5 batts to all external walls

• Solar PV System 2.5kw Photovoltaic solar system (battery ready) installed as per manufacturers recommendation including location

### **KITCHEN**

- Laminated cabinets with melamine finish to all internal surfaces
- 20mm stone benchtop with arris edge finish
- 16mm shadowline
- 600mm stainless steel oven & cooktop
- 600mm stainless steel canopy rangehood ducted externally
- Stainless steel dishwasher
- Single undermount sink

### LAUNDRY

- Designer 40mm mixer with chrome finish
- 30L or 45L stainless steel bowl, powder coated steel cabinet with sink mixer and wall mounted washing machine stops to laundry (design specific)

## **BATHROOM & ENSUITE**

- 20mm Vitrified Compact Surface benchtop to bathroom & ensuite
- Mixer with wall mounted spout to bath
- Tiled shower bases (size specific)
- Recessed tiled shower base to one shower predetermined to comply with NCC 2022
- No bottom rail to one shower to comply with NCC 2022.
- Shower screens Polished silver frame with pivot door and clear laminated glass
- Designer hand held shower heads with mixers and adjustable shower rail
- White vitreous china toilet suite with concealed waste & dual flush cistern
- Toilet roll holder design specific
- Polished edge mirrors to full width of vanities
- Towel rails

#### **ENERGY & WHOLE OF HOME ASSESSMENT**

• Independent 7-star energy report