# Memorandum of common provisions Restrictive covenants in a plan

Section 91A Transfer of Land Act 1958

### **Privacy Collection Statement**

The information in this form is collected under statutory authority and is used for the purpose of maintaining publicly searchable registers and indexes.

Lodged by	
Name:	
Phone:	
Address:	
Reference:	
Customer code:	

This memorandum contains provisions which are intended for inclusion in plans under the Subdivision Act 1988 to be subsequently lodged for registration.

Operative words including words to bind the burdened land and words of annexation must not be included.

Provisions to apply to the plan:	
Burdened land:	As set out in PS902258F
Benefited land:	As set out in PS902258F
Expiry date:	As set out in PS902258F

#### Covenants:

Except with the written consent of Satterley Property Group, the registered proprietor or proprietors for the time being of any burdened lot must not construct or allow to be constructed on the lot or any part of it, any building that is not in accordance with the following:

#### 1. Preliminary

The matters addressed in this MCP are those that vary from the provisions in the Regulations and Scheme. All provisions not addressed in this MCP are as required in the Regulations and Scheme.

This MCP is retained by the Registrar of Titles pursuant to section 91(A) of the Transfer of Land Act.

#### 2. Provisions

The Plan of Subdivision includes a notice of restriction enabling approved building envelopes in accordance with Regulation 5 in Part 1 of the Regulations. The provisions in this MCP are incorporated into the restrictions created by the Plan of Subdivision.

Any building to be constructed on allotments to which this MCP applies and for which the construction would require a building permit must be sited within the approved building envelope subject to any specific encroachments allowed outside the approved building envelope pursuant to this MCP.

#### 35402012

V3

- 1. The provisions are to be numbered consecutively from number 1.
- 2. Further pages may be added but each page should be consecutively numbered.
- 3. To be used for the inclusion of provisions in plans.

#### 91ATLA

**PAGE 1 OF 11** 

#### THE BACK OF THIS FORM MUST NOT BE USED

Land Use Victoria contact details: see www.delwp.vic.gov.au/property>Contact us

### Restrictive covenants in a plan

#### Section 91A Transfer of Land Act 1958

The conditions set out in the Small Lot Housing Code (SLHC) apply to any allotment marked with a '▲' on the building envelope plan. All allotments on this plan denoted with a '▲' on the building envelope plan are to be considered either Type A or Type B allotments.

#### 3. Text of Restrictions

The matters which are restricted by the approved building envelopes provide for siting and design parameters different from those contained in Part 5 in the Regulations and Clause 54 in the Scheme and are as follows.

#### 3.1 Minimum street setbacks (Regulation 74 and Clause 54.03-1)

A building must be set back from a street alignment in accordance with Regulation 74 (Minimum street setbacks) in Part 5 of the Regulations and Clause 54.03-1 in the Scheme, except as specified below.

A building on an allotment must be set back from a street boundary not less than the distance specified in respect of that boundary on the following relevant building envelope plan.

In the case of corner lots, buildings must be setback a minimum of 2 metres from the secondary frontage street or, if applicable, the minimum distance noted on the relevant building envelope plan.


#### **Encroachments:**

The following may encroach into the setback distance required above by not more than 1.5m.

- a. Verandahs and porches that have a maximum height of not more than 3.6 metres above the natural ground
- b. Unroofed balconies that have a maximum height of not more than 4.0 metres above the natural ground
- c. Eaves, fascia and gutters
- d. Screens referred to as described in the Building Regulations 2018.
- e. Decks, steps or landings less than 800mm in height

#### **Diagram: Splayed and Curved Street Frontages**

Unless noted on the plan, the minimum front setback on a splayed or curved street frontage must be taken in an arc connecting the front street setback line to the side street setback line commencing at the points that are perpendicular to the points where the street alignment commences to arc.



91ATLA V3

**PAGE 2 OF 11** 

#### THE BACK OF THIS FORM MUST NOT BE USED

Restrictive covenants in a plan Section 91A Transfer of Land Act 1958

A garage on an allotment must be set back not less than 5.0 metres from the front street boundary of the allotment and must be set back not less than 0.5 metres behind the front building line (excluding encroachments) of the dwelling.

#### 3.2 Building Height (Regulation 75 and Clause 54.03-2)

The height of a building on a lot must be in accordance with Regulation 75 (Building Height) in Part 5 of the Regulations and Clause 54.03-2 in the Scheme, except as specified below.

The height of a building on a lot must not exceed 10.0 metres unless the slope of the natural ground level at any cross section wider than 8 metres of the site of the building is 7.5 degrees or more, in which case the maximum building height should not exceed 12.0 metres.

#### 3.3 Site coverage (Regulation 76 and Clause 54.03-3)

The site area covered by buildings on an allotment must be in accordance with Regulation 76 (Site coverage) in Part 5 of the Regulations and Clause 54.03-3 in the Scheme, or the maximum site coverage as specified in the schedule to the zone.

#### 3.4 Side and rear setback (Regulation 79 and Clause 54.04-1)

Side and rear setbacks on an allotment must be in accordance with Regulation 79 (Side and rear setbacks) in Part 5 of the Regulations and Clause 54.04-1 in the Scheme, except as specified below.

Side and rear setbacks for building elements (such as walls and roof coverings) must comply with the requirements specified in the height and setback profiles noted below and shown on the plan by the identifier code.

A building on a lot which has two side boundaries denoted as " 0 or 1 " in the plan of subdivision must be setback at least one metre from one of the two side boundaries.

The following may encroach not more than 0.5 metres into the minimum side and rear setbacks.

- Porches and verandahs
- Masonry chimneys
- Screens (to the extent needed to protect a neighbouring property from a direct view)
- Flues and pipes
- Domestic fuel tanks
- Heating and cooling equipment and other services
- Water Tanks

The following may encroach into the minimum setbacks.

- Landings with a maximum area of 2.5 square metres and a maximum height of 1 metre
- Unroofed stairways and ramps
- Pergolas
- Shade sails
- Eaves, fascias and gutters not more than 0.6 metre in total width
- Outbuildings not exceeding 10 square metres in area and 3 metres in height.

91ATLA

**PAGE 3 OF 11** 

#### THE BACK OF THIS FORM MUST NOT BE USED

Land Use Victoria contact details: see www.delwp.vic.gov.au/property>Contact us

### Restrictive covenants in a plan

#### Section 91A Transfer of Land Act 1958

A garage with access facing the side street boundary of a corner allotment must be set back at least 0.5 metres behind the side street building line of the dwelling.

Carports may be built on or within 200 millimetres of a side street boundary if the side of the carport facing the boundary is open.

Edge lots are not beneficiaries of the restriction described in 3.4 above.

#### 3.5 Walls on boundaries (Regulation 80 and Clause 54.04-2)

Walls constructed on a boundary must be in accordance with Regulation 80 (Walls on boundaries) in Part 5 of the Regulations and Clause 54.04-2 in the Scheme, except as specified below.

The height of a wall or carport of an allotment must not exceed a maximum height of 3.6 metres unless abutting a higher existing or simultaneously constructed wall.

Edge allotments are not beneficiaries of the restriction described in 3.5 above.


#### 3.6 Daylight to existing habitable room windows (Regulation 81 and Clause 54.04-3)

The provision of solar access to existing north-facing habitable room windows must be in accordance with Regulation 81 (Daylight to existing habitable room windows) in Part 5 of the Regulations and Clause 54.04-3 in the Scheme, except as specified below.

A building must be set back from a habitable room window in an existing building on an adjoining lot to provide for a light court to the existing window that has a minimum area of 3 square metres and a minimum dimension of 1m clear to the sky. The area of the light court may include land on the adjoining lot.

A wall or carport with an average height of more than 3.6 metres opposite a habitable room window in an existing dwelling on an adjoining lot must be set back from the window at least half the height of the wall or carport, if the wall or carport is within a 55 degree angle in the horizontal plane about a vertical axis through the centre of the window. The angle may be swung to not less than 35 degrees from the plane of the wall containing the window.

#### This is illustrated in the two diagrams below.



91ATLA

**PAGE 4 OF 11** 

#### THE BACK OF THIS FORM MUST NOT BE USED

Land Use Victoria contact details: see www.delwp.vic.gov.au/property>Contact us

Restrictive covenants in a plan Section 91A Transfer of Land Act 1958

If the existing habitable room window is above the ground level, the wall or carport height is measured from the floor level of the room containing the window.

Daylight to habitable room windows in buildings on lots, which are not beneficiaries of this restriction, is not dealt with by this building envelope except where annotated on the plan.

#### 3.7 Solar access to existing north-facing habitable room windows (Regulation 82 and Clause 54.04-4)

The provision of solar access to existing north-facing habitable room windows must be in accordance with Regulation 82 (Solar access to existing north-facing habitable room windows) in Part 5 of the Regulations and Clause 54.04-4 in the Scheme, except as specified below.

Reference to an existing north-facing habitable room window, in the case of buildings on allotments contained within this MCP, refers to ground floor windows only.

Any north-facing habitable room window at ground level to be constructed in a building on an allotment must be clear to the sky and setback within the building envelope of the north boundary of that allotment.

#### 3.8 Overshadowing of recreational private open space (Regulation 83 and Clause 54.04-5)

Any overshadowing of recreational private open space must be in accordance with Regulation 83 (Overshadowing of recreational private open space) in Part 5 of the Regulations and Clause 54.04-5 in the Scheme, except as varied as a consequence of other restrictions in this MCP.

Edge allotments are not beneficiaries of the restrictions described in 3.8 above.

#### 3.9 Overlooking (Regulation 84 and Clause 54.04-6)

Any overlooking of a habitable room or secluded private open space of an existing dwelling on an adjoining allotment must be in accordance with Regulation 84 (Overlooking) in Part 5 of the Regulations and Clause 54.04-6 in the Scheme, except as varied as a consequence of other restrictions in this MCP.

This requirement applies to any habitable room window, balcony, terrace, deck or patio of a dwelling on an allotment within the specified overlooking control area (as indicated in the relevant height and setback profiles) that has direct views into an adjoining allotment.

Edge allotments are not beneficiaries of this restriction described in 3.9 above.

#### 3.10 Private open space (Regulation 86 and Clause 54.05-2)

A dwelling on an allotment must provide private open space as specified in Regulation 86 (Private open space) in Part 5 of the Regulations and Clause 54.05-2 in the Scheme.

A dwelling on an allotment marked with a ' \( \Lambda '\) on the building envelope plan must provide private open space in accordance with the SLHC.

91ATLA V3

**PAGE 5 OF 11** 

Restrictive covenants in a plan Section 91A Transfer of Land Act 1958

#### 4. Notes on the MCP

- **4.1** Ground level after engineering works associated with subdivision is to be regarded as natural ground level.
- **4.2** In the case of conflict between the plan and these written notations, the specifications in the written notations prevail.
- **4.3** Buildings must not cover registered easements unless provided for by the easement.
- 4.4 Edge allotments are those allotments that are part of the same certified plan of subdivision but share one or more common boundaries with or otherwise adjoin an allotment that is not part of the same certified plan of subdivision. Regulation 71 in Part 5 of the Regulations and Clause 56.04-2 in the Scheme, apply to each edge allotment irrespective of Sections 1 to 3 of this MCP.

#### 5. General definitions

If not defined above, the words below shall have the meaning attributed to them in the document identified.

In the Building Act 1993:

building

In Parts 1 and 5 of the Building Regulations 2018:

- Clear to the sky
- Height
- Private open space
- Recreational private open space
- Raised open space
- Secluded private open space
- Setback
- Single dwelling
- Site coverage
- Allotment
- North (true North)

In the Wyndham Planning Scheme:

- Frontage (Clause 72)
- Dwelling (Clause 74)
- Habitable room (Clause 72)
- Storey (Clause 72)

91ATLA V3

**PAGE 6 OF 11** 

Restrictive covenants in a plan Section 91A Transfer of Land Act 1958

#### Additional definitions:-

#### Approved building envelope

The building envelope shown for a particular allotment in the building envelope plan and has the same meaning as in Regulation 71 of the Regulations.

#### **Building envelope**

An area within each allotment (defined by the particular allotment setbacks) where development of a dwelling, shed, garage or carport is allowed subject to the particular provisions of this document, the Permit and the Scheme.

#### Building envelope plan

The plan which is attached to this MCP and which shows the approved building envelopes, certain setbacks and other related matters for the allotments within the plan of subdivision.

#### **Corner allotment**

An allotment with a corner where each boundary connects to a street (excluding a laneway) or public open space.

#### **Edge allotments**

Allotments that are part of the same certified plan of subdivision but share one or more common boundaries with or otherwise adjoin an allotment that is not part of the same certified plan of subdivision.

#### **Finished Surface Level**

The ground level after engineering works associated with the subdivision are complete.

#### **MCP**

This Memorandum of Common Provisions.

#### On the boundary

Setback of up to 200 millimetres from the allotment / property boundary is deemed to be on the boundary.

#### Plan of Subdivision

The Plan of Subdivision referred to on page 1 of this MCP.

#### Regulations

The Building Regulations 2018 or any subsequent regulations made pursuant to the Building Act which relate to the siting of a building.

#### **Scheme**

The Wyndham Planning Scheme

#### Side boundary

A boundary of an allotment that runs between and connects the street frontage of the allotment to the rear boundary of the allotment.

#### **Small Lot Housing Code (SLHC)**

The Small Lot Housing Code for allotments less than 300m² incorporated into the Wyndham Planning Scheme.

#### Street

For the purposes of determining street setbacks, street means any road other than a footway or carriageway easement.

91ATLA

V3

**PAGE 7 OF 11** 


#### THE BACK OF THIS FORM MUST NOT BE USED


### 6. Diagrams and plans

### 6.1 Profiles referenced in the building envelope plan

0 - 2.5° Slope STANDARD ALLOTMENT:








#### TYPICAL SIDE BOUNDARY

Single Storey Building Envelope
Overlooking Zone Habitable room windows / Raised open spaces are a source of overlooking
Non Overlooking Zone Habitable room windows / Raised open spaces are not a source of overlooking
Building to Boundary Zone

91ATLA V3

### 6.1 Profiles referenced in the building envelope plan





## SIDE BOUNDARY ABUTS STREET OR PUBLIC OPEN SPACE


Single Storey Building Envelope
Overlooking Zone Habitable room windows / Raised open spaces are a source of overlooking
Non Overlooking Zone Habitable room windows / Raised open spaces are not a source of overlooking
Building to Boundary Zone

91ATLA V3

#### 6.1 Profiles referenced in the building envelope plan

0 - 2.5° Slope STANDARD ALLOTMENT:





SIDE BOUNDARY ABUTS RESERVE

Single Storey Building Envelope

Double Storey Building Envelope

91ATLA V3


#### 6.2 Plan of Subdivision showing building envelope height and setback profile identifier code LEGEND **Building Envelope** Side Boundary Profile (See MCP for details) 513 **Double Storey Building Requirement** 512 1. The Building Envelopes on this plan are shown enclosed by continuous thick lines STREET 511 2. Where more than on Side Boundary 510 Profile has been assigned to a Side 509 Boundary, only one Side Boundary profile is to apply to the lot having regard to the 508 clauses in the notice of restriction affecting the lot. 507 HACKAMORE 506 3. Lots shown ' ▲ ' are subject to the provisions of the Small Lot Housing Code 505 (SLHC). 504 4. A building on a lot which has two side 503 ▲ boundaries denoted as '0 or 1' must be setback at least one metre from one of the 502 two side boundaries 501 MUDLARK ROAD MUDLARK ROAD STREET 522 525 526 528 529 39 DRIVE 530 BEAUTIDE BEAUTIDE ROAD **ØØ** ROAD SEE SHEET 12

91ATLA

V3

PAGE 11 OF 11


#### 6.2 Plan of Subdivision showing building envelope height and setback profile identifier code




3. Lots shown '▲ ' are subject to the provisions of the Small Lot Housing Code (SLHC).


4. A building on a lot which has two side boundaries denoted as '0 or 1' must be setback at least one metre from one of the two side boundaries








#### PLAN OF SUBDIVISION PS902258F EDITION 1 COUNCIL NAME: WYNDHAM CITY COUNCIL LOCATION OF LAND **TARNEIT** PARISH: TOWNSHIP: **SECTION:** 22 **CROWN ALLOTMENT:** G **CROWN PORTION:** TITLE REFERENCE: Vol. Fol. LAST PLAN REFERENCE: Lot E on PS902257H POSTAL ADDRESS: 800 Derrimut Road **TARNEIT VIC 3029** (at time of subdivision) MGA 2020 CO-ORDINATES: E: 297 590 ZONE: 55 (of approx centre of N: 5812240 land in plan) VESTING OF ROADS AND/OR RESERVES **NOTATIONS IDENTIFIER** COUNCIL/BODY/PERSON Lots 501 - 566 (both inclusive) on this plan are affected by 3D Building Envelopes in MCP Dealing No. ..... Road R1 & R2 Wyndham City Council Refer to Creation of Restrictions A & B on Sheets 8 & 9 of this plan for details. Reserve No.'s 1 - 4 Wyndham City Council Powercor Australia Ltd Reserve No. 5 **NOTATIONS DEPTH LIMITATION:** Does Not Apply SURVEY: This plan is based on survey. STAGING: This is not a staged subdivision. Planning Permit No. WYP9879/17. This survey has been connected to permanent marks no(s) PM90 & PM158 In Proclaimed Survey Area no. N/A **BLUESTONE - Release 5** 7.710ha Area of Release: 66 Lots & Balance Lot AA & F No. of Lots: **EASEMENT INFORMATION** LEGEND: A - Appurtenant Easement E - Encumbering Easement R - Encumbering Easement (Road) Easement Width Purpose Origin Land Benefited/In Favour Of Reference (Metres) E-2 Sewerage 3 C/E City West Water Corporation ADDITIONAL EASEMENTS MAY BE SHOWN ON THIS PLAN ONCE ENGINEERING DESIGN HAS BEEN COMPLETED ORIGINAL SHEET 20457-S5 SURVEYORS FILE REF: SHEET 1 OF 9 SIZE: A3 Ver. 2 Licensed Surveyor: Urban Development | Built Environments | Infrastructure 8 / 270 Ferntree Gully Road, Notting Hill, Victoria, 3168 MARK JAMES SOMMERVILLE / Version No 2 **Tel:** 61 3 9501 2800 | **Web:** taylorsds.com.au














### PS902258F

### CREATION OF RESTRICTION A

The registered proprietors of the burdened land covenant with the registered proprietors of the benefited land as set out in the restriction with the intent that the burden of the restriction runs with and binds the burdened land and the benefit of the restriction is annexed to and runs with the benefited land.

**BURDENED LAND:** See Table 1 BENEFITED LAND: See Table 1

For the purposes of this Restriction:

- (a) A dwelling means a house.
- (b) A building means any structure except a fence.

#### **DESCRIPTION OF RESTRICTION**

Except with the written consent of Satterley Property Group, the registered proprietor or proprietors for the time being of any burdened Lot must not:

#### Design Guidelines and MCP

- Build or allow to be built on the Lot any building other than a building which has been approved by Satterley Property Group or the Bluestone Design Review Panel in accordance with the Bluestone Design Guidelines.
- build or allow to be built on the Lot any building other than a building which has been constructed in accordance with the endorsed Memorandum of Common Provisions (MCP) registered in Dealing Number....., which MCP is incorporated into this Restriction.

#### **Building Envelopes**

Build or allow to be built on the Lot any building other than in accordance with the building envelope plans shown on the endorsed Memorandum of Common Provisions (MCP) registered in Dealing Number....., which MCP is incorporated into this Restriction.

For the purposes of this restriction "Satterley Property Group" means Satterley Tarneit Derrimut Pty Ltd ACN 630 346 066 or any or its related bodies corporate or associated entities within the meaning of the Corporations Act 2001.

Expiry date: 31/12/2030

TABLE 1

BURDENED LOT No.	BENEFITING LOTS ON THIS PLAN
501	502
502	501, 503
503	502, 504
504	503, 505
505	504, 506
506	505, 507
507	506, 508
508	507, 509
509	508, 510
510	509, 501
511	510, 512
512	511, 513
513	512
514	515, 543
515	514, 516, 542
516	515, 517, 541
517	516, 518, 540
518	517, 519, 539
519	518, 520, 538, 539
520	519, 521, 537, 538
521	520, 522, 536, 537
522	521, 523, 535, 536

TABLE 1 continued

BURDENED LOT No.	BENEFITING LOTS ON THIS PLAN
523	522, 524, 535
524	523, 525, 534, 535
525	524, 526, 533, 534
526	525, 527, 528, 533, 532
527	523, 526, 528
528	526, 527, 529, 532
529	528, 530, 532
530	529, 531, 532
531	530, 532
532	531, 530, 529, 528, 526, 533
533	525, 526, 532, 534
534	524, 525, 533, 535
535	522, 523, 524, 534, 536
536	521, 522, 535, 537
537	520, 521, 536, 538
538	519, 520, 537, 539
539	518, 519, 538, 540
540	517, 539, 541
541	516, 540, 542
542	515, 541, 543
543	514, 542
544	545

TABLE 1 continued

BURDENED LOT No.	BENEFITING LOTS ON THIS PLAN
545	544, 546
546	545, 547
547	546, 548
548	547, 549
549	548, 550
550	549, 551
551	550, 552
552	551, 553
553	552, 554
554	553, 555
555	554, 556
556	555, 557, 558, 559
557	556, 558
558	556, 557, 559
559	556, 558, 560
560	559, 561
561	560
562	563
563	562, 564
564	563, 565
565	564, 566
566	565

TAY	LOR	5
Urban Development	<b>Built Environments</b>	Infrastructure

8 / 270 Ferntree Gully Road, Notting Hill, Victoria, 3168

Tel: 61 3 9501 2800 | Web: taylorsds.com.au

### PS902258F

### CREATION OF RESTRICTION B

The registered proprietors of the burdened land covenant with the registered proprietors of the benefited land as set out in the restriction with the intent that the burden of the restriction runs with and binds the burdened land and the benefit of the restriction is annexed to and runs with the benefited land.

See Table 2 **BURDENED LAND:** See Table 2 BENEFITED LAND:

#### **DESCRIPTION OF RESTRICTION**

The registered proprietor or proprietors for the time being of any burdened Lot must not:

1. build or permit to be built or remain on the lot any building or structure that has not been constructed in accordance with the relevant below mentioned type of the Small Lot Housing Code (SLHC) incorporated into the Wyndham Planning scheme unless a planning permit is granted by the Responsible Authority for a building that does not conform with the SLHC.

Expiry date: 31/12/2030

TABLE 2

BURDENED LOT No.	SLHC TYPE	BENEFITING LOTS ON THIS PLAN
501	Α	502
502	Α	501, 503
503	Α	502, 504
504	Α	503, 505
505	Α	504, 506
506	Α	505, 507
507	Α	506, 508
508	Α	507, 509
509	Α	508, 510
510	Α	509, 501
511	Α	510, 512
512	Α	511, 513
518	В	517, 519, 539
519	В	518, 520, 538, 539
522	В	521, 523, 535, 536
523	В	521, 523, 535, 536
524	В	522, 524, 535
525	В	523, 525, 534, 535
528	В	526, 527, 529, 532
529	В	528, 530, 532
530	В	529, 531, 532

Licensed Surveyor: