

LOCATION OF LAN PARISH: TOWNSHIP: SECTION: CROWN ALLOTMENT: CROWN PORTION: TITLE REFERENCES:	MAMBOURIN MAMBOURIN  15 2 (PART)  VOL FOL LOT B PS817576P	IN	Planning Permit Reference:	ty Council WYS5338/20 WYP7570/14 S154058A	38472J			
PARISH: TOWNSHIP: SECTION: CROWN ALLOTMENT: CROWN PORTION: TITLE REFERENCES: LAST PLAN REFERENCE: POSTAL ADDRESS:	MAMBOURIN  15 2 (PART)  VOL FOL		Council Reference Number: Planning Permit Reference: SPEAR Reference Number: <b>Certification</b> This plan is certified under s	WYS5338/20 NYP7570/14 S154058A				
PARISH: TOWNSHIP: SECTION: CROWN ALLOTMENT: CROWN PORTION: TITLE REFERENCES: LAST PLAN REFERENCE: POSTAL ADDRESS:	MAMBOURIN  15 2 (PART)  VOL FOL		Planning Permit Reference: SPEAR Reference Number: Certification This plan is certified under s	WYP7570/14 S154058A				
SECTION: CROWN ALLOTMENT: CROWN PORTION: TITLE REFERENCES: LAST PLAN REFERENCE: POSTAL ADDRESS:	2 (PART)  VOL FOL		This plan is certified under s	ection 6 of the Subdivision A	Council Reference Number: WYS5338/20 Planning Permit Reference: WYP7570/14 SPEAR Reference Number: S154058A			
CROWN PORTION: TITLE REFERENCES: LAST PLAN REFERENCE: POSTAL ADDRESS:	2 (PART)  VOL FOL			ection 6 of the Subdivision A				
CROWN PORTION: TITLE REFERENCES: LAST PLAN REFERENCE: POSTAL ADDRESS:	VOL FOL		Public Open Space		lct 1988			
TITLE REFERENCES: LAST PLAN REFERENCE: POSTAL ADDRESS:								
LAST PLAN REFERENCE: POSTAL ADDRESS:			A requirement for public open space under section 18 of the Subdivision Act 1988 has not been made					
POSTAL ADDRESS:			Digitally signed by: Mark Ten	ner for Wyndham City Cound	cil on 30/09/2021			
	LUI D F301/3/0P							
	BLACK FOREST ROAD WERRIBEE 3030							
MGA 94 CO-ORDINATES: (of approx. centre of plan)		IE: 55 UM: GDA94						
VESTING	OF ROADS OR RESE	RVES		NOTATIONS				
IDENTIFIER ROAD R1	COUNCIL/ WYNDHAM CI	BODY/PERSON	LOTS 1 TO 1000 (BOTH I INCLUSIVE) HAVE BEEN		IENTS (E-1) TO (E-6) (BOTH PLAN			
			TOTAL ROAD AREA: 33					
	NOTATIONS							
DEPTH LIMITATION DOES								
SURVEY: THIS PLAN IS BA	SED ON SURVEY							
THIS SURVEY HAS BEEN	CONNECTED TO PERMANENT	MARKS No. 64	FURTHER PURPOSE OF P	LAN:				
LAND NOT IN PROCLAIME	D SURVEY AREA		TO REMOVE THE EASEMENT SHOWN AS (E-7) ON PS817576P WHICH LIES WITHIN THE LAND IN THIS PLAN SHOWN AS ROAD R1					
<b>STAGING</b> THIS IS NOT A STAGED SU	IBDIVISION							
PLANNING PERMIT No. WY			GROUNDS FOR REMOVAL					
			BY AGREEMENT, SECTI	: ON 6(1)(K)(iii) SUBDIVISI	ON ACT 1988			
ESTATE: C	ORNERSTONE 10	AREA: 1.194 ha	BY AGREEMENT, SECTI No. OF LOTS	: ON 6(1)(K)(iii) SUBDIVISI	DAD R1			
	ORNERSTONE 10	EASEMENT IN	BY AGREEMENT, SECTI No. OF LOTS: FORMATION	:: ON 6(1)(K)(iii) SUBDIVISI 23 ME	DAD R1 ON ACT 1988 ELWAY: 204:D:8			
LEGE	ORNERSTONE 10	EASEMENT IN E - ENCUMBERING WIDTH	BY AGREEMENT, SECTI No. OF LOTS: FORMATION	:: ON 6(1)(K)(iii) SUBDIVISI 23 ME CUMBERING EASEMENT LAN	ON ACT 1988 ELWAY: 204:D:8			
LEGE	ORNERSTONE 10 ND: A - APPURTENANT PURPOSE	EASEMENT IN E - ENCUMBERING	BY AGREEMENT, SECTI No. OF LOTS FORMATION EASEMENT R - ENG	:: ON 6(1)(K)(iii) SUBDIVISI 23 ME CUMBERING EASEMENT LAN	OAD R1 ON ACT 1988 ELWAY: 204:D:8 (ROAD) ID BENEFITED N FAVOUR OF			
EASEMENT REFERENCE	ORNERSTONE 10  ND: A - APPURTENANT  PURPOSE  AGE	EASEMENT IN E - ENCUMBERING WIDTH (METRES)	BY AGREEMENT, SECTI No. OF LOTS FORMATION EASEMENT R - ENG ORIGIN	:: ON 6(1)(K)(iii) SUBDIVISI 23 ME CUMBERING EASEMENT LAN OR I	ON ACT 1988 ELWAY: 204:D:8 (ROAD) D BENEFITED N FAVOUR OF R CORPORATION			

Breese Pitt Dixon Pty Ltd 1/19 Cato Street		REF: 8	890/10	VERSION:	1	ORIGINAL SHEET SIZE A3	SHEET 1 OF 4 SHEETS	
Hawthorn East Vic 3123 Ph: 8823 2300 Fax: 8823 2310 www.bpd.com.au info@bpd.com.au			Digitally signed by: Simon Patrick Cox, Licensed Surveyor, Surveyor's Plan Version (1), 19/02/2020, SPEAR Ref: S154058A			Surveyor,		
CHECKED AT		DATE: 06/02/20						



	ABBERY GATE		3   3   186°48'20"			
	SCALE	Immuni         I         I         I           10         0         10         20         3	0 40	ORIGINAL SHEET SIZE A3	SHEET 2	
Breese Pitt Dixon Pty Ltd 1/19 Cato Street	1:800	LENGTHS ARE IN METRE	S	REF: 8890/10	version: 1	
Hawthorn East Vic 3123 Ph: 8823 2300 Fax: 8823 2310 www.bpd.com.au info@bpd.com.au	Digitally signed by: Surveyor's Plan Ve 19/02/2020, SPEA		Digitally signe Wyndham Cit 30/09/2021, SPEAR Ref: \$	y Council,		



### SUBDIVSION ACT 1988 CREATION OF RESTRICTION

Upon registration of this plan, the following restriction is to be created.

Land to benefit: Lots 1001 to 1023 (both inclusive).

Land to be burdened: Lots 1001 to 1023 (both inclusive).


Description of Restriction:


- 1. Except with the written consent of the Transferor and in all other instances with the written consent of each and every registered proprietor of a benefiting lot on the Plan of Subdivision the registered proprietor or proprietors for the time being of any burdened lot on the Plan of Subdivision shall not:
  - (a) Subdivide or allow a lot to be subdivided;
  - (b) Construct any more than one dwelling (together with outbuildings) on any lot;
  - (c) Consolidate or allow a lot to be consolidated.
- 2. The registered proprietor or proprietors for the time being of any lot forming part of the Land to be burdened must not, without the permission of the Responsible Authority build or permit to be built or remain on the lot or any part of it:
  - (a) Any dwelling or commercial building unless the building incorporates dual plumbing for the use or recycled water for toilet flushing and garden watering where recycled water is available to the said lot;
  - (b) In the case of lots less than 300m<sup>2</sup> any dwelling unless in accordance with the Small Lot Housing Code or unless a planning permit allowing the construction of lots under 300m<sup>2</sup> has been obtained from Wyndham City Council. For the purpose of the Small Lot Housing Code lot 1003 is a 'Type B' lot and lots 1001, 1002, 1022 and 1023 are 'Type A' lots;
  - (c) Any side fence on a lot which has a side boundary abutting a Road or Reserve unless the fence, which is constructed on the boundary abutting a Road or Reserve, is setback a minimum of 5 metres from the front building line.
  - (d) Any structure unless the said structure maintains a setback of at least 1m (one metre) from at least one of the side boundaries of the Lot. For this restriction the side boundary is considered the boundary that connects the frontage boundary with the rear boundary and may contain one or more bends.
- 3. The registered proprietor or proprietors for the time being of any lot forming part of the Land to be burdened must not:
  - (a) Erect any building on a lot unless the plans for such a building are endorsed by the 'Peet Design Review Panel' as being in accordance with the 'Cornerstone Design Guidelines.' A copy of the Cornerstone Design Guidelines can be found at http://www.peet.com.au/vicbuilder

WARNING - This document is a working document in the SPEAR approval process. It is subject to revision and change and therefore should not be relied on. If you have any questions about this document please cor access to SPEAR / this document. SPEAR Ref: S154058A 19/10/2021 03:59 pm

These restrictions will cease to affect any of the burdened lots eight (8) years after registration of this plan

		SCALE			ORIGINAL SHEET SIZE A3	SHEET	4
I	Breese Pitt Dixon Pty Ltd 1/19 Cato Street Hawthorn East Vic 3123 Ph: 8823 2300 Fax: 8823 2310 www.bpd.com.au info@bpd.com.au			ref: 8890/10	VERSION:	1	
		Digitally signed by Surveyor's Plan Ve 19/02/2020, SPEA		Digitally signe Wyndham City 30/09/2021, SPEAR Ref: S	/ Council,		







### INTERNAL COLOUR SELECTION ALPINE




- 1. Timber Laminate Floor SURFACES BY HYNES Colour: Brooklyn – Ridgewood
- 2. Benchtop CAESARSTONE 20mm Square Edge Colour: 3141 Osprey
- 3. Overheads Cabinet Cabinet - Base (includes kicker) FORMICA Velvet Finish Square Edge ABS Edging Colour: Mocha Firewood
- 4. Splashback BEAUMONT TILES Colour: United White Gloss (182174) Size: 100x300mm ARDEX Grout: White Laid horizontal and stacked

5. Walls WATTYL Colour: Feather Dawn 19.40 Finish: Low Sheen Doors / Woodwork Finish: Gloss
6. Floor Tiles:

- Laundry, Ensuite, Bathroom and WC (inc. shower bases) BEAUMONT TILES Colour: Belga White (1204371) Size:450x450mm ARDEX Grout: Misty Grey
- 7. Ensuite and Bathroom Wall Tiles BEAUMONT TILES Colour: Belga White (1204371) Size:450x450mm ARDEX Grout: Misty Grey
- 8. Carpet ROYAL PARADE Colour: March Underlay – 7mm



© caesarstone<sup>®</sup>




### INTERNAL COLOUR SELECTION BASALT



- 1. Timber Laminate Floor SURFACES BY HYNES Colour: Brooklyn – Ridgewood
- 2. Benchtop CAESARSTONE 20mm Square Edge Colour: 2040 Urban
- 3. Overheads Cabinet Cabinet - Base (includes kicker) FORMICA Velour Finish Square Edge ABS Edging Colour: Bodega Oak 1009
- 4. Splashback BEAUMONT TILES Colour: United Pumice Gloss (1006457) Size: 100x300mm ARDEX Grout: Misty Grey Laid horizontal and stacked
- 5. Walls WATTYL Colour: Floral White ½ strength Finish: Low Sheen Doors / Woodwork Finish: Gloss
  6. Floor Tiles:
  - Laundry, Ensuite, Bathroom and WC (inc. shower bases) BEAUMONT TILES Colour: Infinite Dark Grey (1223068) Size:450x450mm ARDEX Grout: Charred Ash
- 7. Ensuite and Bathroom Wall Tiles BEAUMONT TILES Colour: Infinite Dark Grey (1223068) Size:450x450mm ARDEX Grout: Charred Ash
- 8. Carpet ROYAL PARADE Colour: Urban Grey Underlay – 7mm







### INTERNAL COLOUR SELECTION IVORY



- 1. Timber Laminate Floor SURFACES BY HYNES Colour: Brooklyn – Ridgewood
- 2. Benchtop CAESARSTONE 20mm Square Edge Colour: 6141 Ocean Foam
- 3. Overheads Cabinet Cabinet - Base (includes kicker) FORMICA WAW Velour Finish Square Edge ABS Edging Colour: Warm White
- 4. Splashback BEAUMONT TILES Colour: United Ash Latte Gloss (182055) Size: 100x300mm ARDEX Grout: Travertine Laid horizontal and stacked
- 5. Walls WATTYL Colour: Grand Piano 1/4 A204 Finish: Low Sheen Doors / Woodwork Finish: Gloss
  6. Floor Tiles:
  - Laundry, Ensuite, Bathroom and WC (inc. shower bases) BEAUMONT TILES Colour: Belga Ivory (79934) Size:450x450mm ARDEX Grout: Misty Grey
- 7. Ensuite and Bathroom Wall Tiles BEAUMONT TILES Colour: Belga Ivory (79934)) Size:450x450mm ARDEX Grout: Misty Grey
- 8. Carpet ROYAL PARADE Colour: Hazelnut Underlay – 7mm





### INTERNAL COLOUR SELECTION STORM



- 1. Timber Laminate Floor SURFACES BY HYNES Colour: Brooklyn - Newtown
- 2. Benchtop CAESARSTONE 20mm Square Edge Colour: 6270 Atlantic Salt
- 3. Overheads Cabinet Cabinet - Base (includes kicker) FORMICA Velvet Finish Square Edge ABS Edging Colour: Storm S2
- 4. Splashback BEAUMONT TILES Colour: United Pumice Gloss (1006457) Size: 100x300mm ARDEX Grout: Misty Grey Laid horizontal and stacked
- 5. Walls WATTYL Colour: White Smoke T15 3.6 Finish: Low Sheen Doors / Woodwork Finish: Gloss
  6. Floor Tiles:
- Floor Tiles: Laundry, Ensuite, Bathroom and WC (inc. shower bases) BEAUMONT TILES Colour: Belga Grey (79931) Size:450x450mm ARDEX Grout: Magellan Grey
- 7. Ensuite and Bathroom Wall Tiles BEAUMONT TILES Colour: Belc Size:450x45 ARDEX Grout: Mage
- 8. Carpet GOTHAM Colour: Bird Underlay –







# INCLUSIONS



W/





## EXTERNAL

#### SITE COSTS

• Fixed Price Site Costs including Rock Excavation

#### EXTERNAL ITEMS

- Concrete Roof Tiles as per colour document
- Colorbond Fascia, Gutter and Downpipes 2
- Bricks as per colour document 3
- Natural colour Mortar with Rolled joints
- Brickwork above Windows to front Facade only
- Painted Infills above Garage Door and all Windows and Doors to sides and rear
- Plaster Ceiling to Porch and Outdoor Living (if applicable)
- Two part Termite Treatment
- Colour Through Concrete Driveway and Path to Porch 4
- Letterbox (with numbers)

#### GARAGE

- Colorbond Sectional Panelift Garage Door with Motor and 2No. Remote Controls 5
- Weatherproof Door to Rear of Garage (plan specific)
- Flush Panel Garage/House Access Door (plan specific)
- Concrete Floor

#### **DOORS - EXTERNAL**

- Feature 2040mm high x 820mm wide Front Entry Door with Clear Glazing
- Double Cylinder Deadbolt to Front Entry
- Entrance set to all external Hinged Doors and Garage/House Access Door (plan specific)





latural colour mortar with rolled joints



2040mm high x 820mm wide front entry door and entrance set

## KITCHEN



- 900mm Stainless Steel Upright Cooker and Canopy Rangehood
- Stainless Steel Dishwasher
- 20mm Caesarstone Benchtops with 20mm Square Edge
- Laminate Base Cabinets
- Laminate Overhead Cabinets
   with Bulkhead above
- Stainless Steel Double Bowl Sink
- Mixer Tap
- Tiled Splashback
- 4No. Melamine Shelves to
  Pantry



Cabinet handles



Stainless Steel Dishwasher



Mixer Tap



900mm Stainless Steel Upright Cooker




Stainless Steel Double Bowl Sink



900mm Stainless Steel Canopy Rangehood



20mm Caesarstone Benchtops with 20mm Square Edge



## INTERNAL

#### **INTERNAL ITEMS**

- Engineered waffle Slab
- Pine Wall Frames and Roof Trusses
- 2590mm Ceiling height to Single Storey 6
- 2590mm Ceiling height to Ground Floor and 2440mm to First Floor of a Double Storey
- Plasterboard Walls, Ceilings and Cornice
- 67mm Single Bevel Architrave and Skirting
- 75mm Scotia Cornice
- 1No. Melamine shelf with 1No. Hanging Rail to Bedroom Robes

#### **DOORS - INTERNAL**

- 2040mm high Flush Panel Doors throughout 7
- Lever Door Handles

#### WINDOWS

- Obscure Glazing to Ensuite, Bathroom and WC
- Aluminium Sliding Windows (unless otherwise nominated)
- Window Locks to all openable Windows (keyed alike)
- Venetians to Front Windows, Roller Blinds to remaining Clear Glazed Windows (excluding stairwell) and Sliding Doors

#### PAINTING

- 3No. Coat Paint system throughout 8
- · Gloss Enamel Paint to Architrave and Skirting

#### FLYSCREEN / SECURITY DOORS

- Flyscreens to all openable Windows
- Barrier Doors to all Sliding Doors



67mm single bevel architrave and skirting



Internal lever door handles



75mm scotia cornice



## BATHROOM

#### BATHROOM

- Vanity Basin
- Acrylic Bath
- 20mm Caesarstone Benchtops with 20mm Square Edge
- Laminate Base Cabinets
- Semi-Framed Shower Screen
- Tiled Shower base
- Polished edge Mirror to full width of Vanity
- Mixer Tap
- Single Towel Rail
- Privacy Lock

#### WC / POWDER ROOM

- Toilet Suite
- Toilet Roll Holder
- Privacy Lock

#### ENSUITE

- Vanity Basin
- 20mm Caesarstone Benchtops with 20mm Square Edge
- Laminate Base Cabinets
- Semi-Framed Shower Screen
- Tiled Shower base
- Polished edge Mirror to full width of Vanity
- Mixer Tap
- Single Towel Rail
- Toilet Suite
- Toilet Roll Holder
- Privacy Lock

#### LAUNDRY

- Laundry Trough and Cabinet
- Mixer Tap
- Tiles to Splashback





Shower straight arm



Bath outlet



Laundry mixer tap



Shower mixer tap



Acrylic Bath



Laundry trough and cabinet

•



Single towel rail



Semi-framed shower screen



Basin mixer tap



Vanity basin



Toilet roll holder



Toilet Suite

### INTERNAL



#### **HEATING / COOLING**

- Gas Ducted Heating 9
- 1No. Split System Air Conditioner to main Living area on a Single Storey
- 1No. Split System Air Conditioner to main Living area and 1No. to Master Bedroom on a Double Storey (2No. Total)

#### ELECTRICAL

- Double Power Points throughout 10
- LED Downlights throughout 11
- Single weatherproof LED Flood Light with Sensor outside Laundry
- Hardwired Smoke Detectors with battery backup
- 2No. TV /Points 12
- 1No. TV Antenna (estate specific)
- 2No. Phone Points

#### ENERGY EFFICIENCY

- 6 Star Energy Rating
- Solar Hot Water Service with Gas Booster
- Insulation to Walls and Ceilings
- Self-sealing Exhaust Fans Positioned above all Showers
- External venting to all exhaust fans and rangehoods

#### LANDSCAPING

- Combination of Turf, Plants, Mulch and Toppings to Front and Rear Yards
- Irrigation Connected to Two Garden Taps with Timers
- Compacted Paths around Perimeter of House
- Timber Fencing, including Wing Fence and Gate, to all Boundaries
- Nature Strips Levelled and Seeded
- Clothesline

## SURFACES AND FINISHES





#### FLOOR COVERINGS

- Tiles to Wet Areas, Timber laminate to Entry and Living areas connected to the Kitchen (as per standard house plan) 12
- Carpet to remainder of House (as per standard house plan) 13

#### GENERAL

- Fixed Price Contract
- All Permits as Required by Building Regulations
- Survey and Drafting Plans
- Design Guidelines Fixed
- Engineer Designed Slab/Foundations
- All Service Connections (excluding consumer account opening and fibre optic connection if applicable)
- Independent Quality Inspections
- Full House Clean on Completion
- 3 Month Maintenance period
- Home Owners Warranty
- 10 Year Structural Warranty

#### ESTIMATE /



This estimate is presented as a guide to the potential depreciation deductions only and should not be applied or acted upon. The depreciation of the plant and equipment items is based on the Diminishing Value method of depreciation applying Low-Value Pooling and 100% deductions. The Division 43 Capital Allowance is calculated at 2.5% p.a. of the estimated construction cost. The estimate is based upon legislation current as at the date of report production.

THIS ESTIMATE CANNOT BE USED FOR TAXATION PURPOSES.

