

# Resort living, every day.





# Why settle for less?



The signature 18-hole golf course, designed by 5 times British Open winner, Peter Thomson is just waiting for you to tee-off. Offering championship, womens', juniors' and beginners' teeing options, the course's carefully undulating fairways and integrated greens will enable players of all levels to hone their skills on a course specially built for strategic play.

Welcome to Mandalay, a lifestyle resort-living development quite unlike any other in the north of Melbourne. Just forty minutes drive from the centre of the City, and within easy reach of public transport, shopping, healthcare, quality education and more, Mandalay offers an idyllic resort lifestyle with wide-open spaces and walkways, a signature 18 hole golf course and the exclusive Club Mandalay lying at the very heart of this fabulous new community. Read on and discover more!



# Come home to so much more.

Enjoy a millionaire lifestyle every day.

Of course you want to live in a lovely home - that's a given. But imagine coming home to your very own exclusive bar and bistro right on your doorstep, too. Maybe you feel like a quick dip in your sparkling blue pool? Perhaps a friendly game of tennis with friends, or a workout in your private gym? Or maybe you just fancy a stroll along the walkways that wind their way through your own golf course, where you enjoy special membership privileges. And now imagine this paradise is nestled in a gorgeous natural landscape surrounded by rolling hills. That's right: now you're beginning to see why we say Mandalay is "Resort living, every day".




# Own your own private facilities.

Fun, fitness, relaxation for all ages. A few minutes stroll from your front door.

Club Mandalay is the key to your perfect new lifestyle. The hub of our growing community, it offers a wealth of leisure facilities and provides a natural meeting point for you, your friends, family and neighbours. Simply hang with your besties and spend quality time together, play with the kids or enjoy the 25 metre heated swimming pool all year round. You'll also enjoy the fun trivia nights, Munchkins Club, special themed menus and events, Swingfit and more! Staying fit will never get boring in the Club's fully-equipped gym or out on the tennis courts. The knowledgeable and helpful staff that greet you at reception and the golf pro-shop ensure you enjoy it all, and the prestigious café bistro serves beautiful snacks, food and drinks. Even better, you don't just use the facilities – as a Mandalay resident, you own them!



# An idyllic location in the growing North.



Mandalay nestles in a beautiful private valley in the heart of Melbourne's exciting northern corridor. Major urban centres such as Craigieburn, Epping and Wallan are just a few minutes drive away, offering a dizzying array of shopping and entertainment options. Medical centres, hospitals, and excellent schools such as Assumption College, Kilmore International School and Hume Anglican Grammar are close by, with more to come. Nearby Essendon and Tullamarine airports, employment hubs, and direct access to the Hume Freeway let you work nearby and then come home to your very own private resort lifestyle.



# Mandalay of choose the

## Room to breathe. Room for life.

Mandalay offers you larger blocks that allow you to choose the resort lifestyle home of your dreams.

Melbourne's leading builders love Mandalay! It's the perfect environment to showcase their finest homes, many specially designed to take advantage of our gorgeous location. Some come "pre-packaged" with the right block, so you know you're getting a home that perfectly suits the land it sits on. You can choose from the many packages available, or simply decide on the perfect block for you and then decide on the builder of your choice. Whichever way you go, Mandalay stands ready to welcome you and your family!

At Mandalay you can choose a block that offers stunning vistas of rolling hills, or nearby delightful Club Mandalay, or overlooking the magnificent fairways of the course. We offer a wide range of blocks that all give you and your family more space to live, and with more space, you can build a home you truly love. Your home should always be your sanctuary and a decent backyard is an essential for the kids or entertaining family and friends, especially with the "grand outdoor rooms" on offer today. Building your brand new dream home means you can shape your lifestyle exactly the way you want it.





Wherever you are in Mandalay the achingly beautiful greens of the Peter Thomson-designed 18 hole golf course enrich your views. All Mandalay homes are within a two minute stroll to the stunning green fairways and for those lucky enough to live on the course itself there are stunning views from your backyard or balcony. You don't have to be a golfer to appreciate this unique environment. The whole course is threaded and complemented by walkways that connect you to; the neighbourhood parks designed to be enjoyed by kids of all ages, bike tracks, wetland vistas, and of course Club Mandalay. So step outside your front door, take a walk around and escape. Breathtaking.





## The best in the North.

Mandalay nestles in the major growth corridors for Melbourne, and within easy reach of everything. But not all estates are created equal. Mandalay offers bigger blocks, bigger backyards, and more open space around you. Just forty minutes from the bustling centre of Melbourne, you'll be close to major existing and future urban development, offering exciting employment opportunities and an excellent commute around Melbourne's North, but in a quiet semi-rural environment that is quite unlike other areas. What's more lesser estates have a higher housing density, on smaller blocks. And yet our Mandalay homesites are priced very competitively, as well as offering you unique resort living, every day. Mitchell Shire's population to our north will grow by more than 100% in the next 20 years, and Hume to our South will grow by about 74%. Yet Mandalay will always remain a private green oasis in the middle of all this growth, for you to retreat to at the end of the day and on weekends. It truly is "the best of both worlds". So you really do owe it to yourself to ask yourself the question: why would you and your family settle for less?







Design & Siting Guidelines August 2013

## Contents

#### 1.0 Introduction

- 1.1 The Mandalay Vision
- 1.2 Purpose of the Guidelines
- 1.3 Submission Requirements and Development Approval Process

#### 2.0 Siting and Orientation

- 2.1 All Lots
- 2.2 Corner Lots Specific
- 2.3 Front Setbacks
- 2.4 Side Setbacks
- 2.5 Dwelling Setbacks to Golf Course Boundaries

#### 3.0 Dwelling Design

- 3.1 Architectural Character Mandatory Standards
- 3.2 Building Materials and Colour Palette
- 3.3 Identical Façade Assessment
- 3.4 Environmentally Sustainable Design
- 3.5 Garages and Carports
- 3.6 Driveways and Paving
- 3.7 Letterboxes

#### 4.0 Fencing

- 4.1 Front Fencing
- 4.2 Typical Side and Rear Fencing
- 4.3 Corner Lot Fencing
- 4.4 Fencing Template
- 4.5 Golf Lot Fencing

#### 5.0 Plumbing and Ancillary Equipment

- 5.1 Plumbing
- 5.2 Rainwater Tanks
- 5.3 Air Conditioning Units
- 5.4 TV Antennae and Satellite Dishes
- 5.5 Solar Water Heating
- 5.6 Water Efficiency
- 5.7 Smart Wiring

#### 6.0 General Dwelling Information

- 6.1 Screening
- 6.2 Clothes Lines & Drying Areas
- 6.3 Parking of Heavy Vehicles & Caravans etc
- 6.4 Property Settlement and Timing of Works
- 6.5 Aluminum Roller Shutters to Windows
- 6.6 Window Furnishings
- 6.7 Maintenance of Lots
- 6.8 Signage

#### 7.0 Landscaping

#### 1.0 Introduction

#### 1.1 The Mandalay Vision

Mandalay will represent the future of community living in the northern suburbs. Residents will benefit from a well-planned community that will provide a number of lifestyle opportunities centered around a Peter Thomson Signature golf course and a community hub that will boast a clubhouse, restaurant, gym, lap style swimming pool, tennis courts, and other facilities.

The Mandalay master plan has been designed with the environment and its residents in mind. The master plan ensures the best possible access to the surrounding amenities with a network of walking and cycling tracks interlinked with the surrounding parks and community facilities. Mandalay is a lifestyle choice where quality landscape and attention to detail will create a distinctive and quality address for all its residents.

#### 1.2 Purpose of the Guidelines

The key purpose of these design guidelines is to achieve a consistently high quality of homes and landscaping that realises the Mandalay Vision.

The guidelines are intended to assist you in considering the design of your home and private garden and how this can contribute to and enhance the overall character of the development. The guidelines will help you through the initial consideration, design process and building of your new home. The guidelines will not only enhance your building experience but will underpin the overall amenity of Mandalay and contribute to creating a vibrant community that you will proudly call home.

These design guidelines may be amended from time to time at the developer's discretion to reflect changes in design and building trends and amendments to legislation affecting building approvals.

#### 1.3 Submission Requirements and Development Approval Process

The siting and design of your home is required to be approved by the Mandalay Design Reviewer. **(M.D.R.)** before obtaining building permits. It is mandatory that all plans and other relevant drawings are submitted to the M.D.R. for approval.

To obtain the Developers approval, you must forward the **Mandalay Application for Design Approval Form** (found at the rear of this document) with two (2) legible A3 copies of the documentation listed on the form for approval to:

#### Mandalay Design Reviewer

C/- Beveridge Property Developers 501 Blackburn Road Mt. Waverley, Vic 3149

#### The Submission must include the following in (2 copies) A3 format:

- A min. 1:200 siting plan including: date and reference number of drawing, north point, lot area calculation, dwelling area calculation, home positioned on the lot with dimensions and setbacks from all boundaries, proposed fencing, crossover and driveway location; clothes line, letter box, water tank, outbuildings and pool position if applicable. Provide the building envelope if applicable to the lot.
- Floor plans at minimum of 1;100 with north point, indicating all rooms, windows, external doors, external fixtures and nominated floor levels; including air conditioning and solar units positions.
- Full elevations indicating wall heights and all external finishes including garage door type;
   extent of eaves and position of air conditioning and solar units.

- Relevant cross sections showing roof pitches, eaves depth and height of walls along the boundaries; cut and fill including retaining walls where applicable.
- Fence design as per the Mandalay fence template (included) with the client's signature as endorsement or; a plan with all dimensions and materials should be included.
- Schedule of colours and materials to be used externally provide colour chips or a colour photocopy for reviewing by the M.D.R.

A detailed checklist of submission requirements is provided as part of the Design Approval Application Form included in this document.

The M.D.R. will assess all designs and either provide a notice of approval or specify how the submission conflicts with the guidelines. Designs that substantially comply with the guidelines may be given a notice of approval with conditions requiring the rectification of minor deviations. Furthermore the M.D.R. may make suggestions intended to improve the design.

The M.D.R. will use its best endeavors to assess proposals in the shortest possible time and generally within 10-14 business days of receipt of a fully completed and compliant application. You must then obtain the approval of the building plans from the local Council or relevant Building Surveyor and/or any other relevant authorities required by the authority approval process. It is the responsibility of the owner that the proposed building works comply with local, state, and Rescode requirements. Neither the Mandalay Design Reviewer nor the developer accepts any responsibility for works that don't comply as noted above.

#### Please Note:

The final decision of all aspects of the Design Guidelines is at the discretion of the M.D.R. and no additional correspondence will be entered into once a decision has been made. The M.D.R. is not liable for any refunds, credit or compensation for its decisions in granting or refusing a submission approval or any discrepancies that may arise from this work.




Figure 1.1 Design and Approval Process Flow Chart.

#### 2.0 SITING & ORIENTATION

Where possible each dwelling should be designed to maximise the advantages and natural characteristics of the site. Solar angles, views, prevailing breezes, relationship to the street, open space, landscaping and adjoining dwelling type and locations should all be considered to create a responsive design solution in keeping with the intent of the Mandalay vision.

#### 2.1 All Lots

Building envelopes have been prepared for all lots in the development (refer to the Plan of Subdivision and Notice of Restriction). These building envelopes indicate the area on each lot where a building can be sited.

- A front (primary) boundary is deemed to be that part of the lot with the street frontage being the smallest dimension, unless the Building Envelope Plan indicates otherwise.
- Only one dwelling may be built on any one lot.
- Lots may not be further subdivided unless:
  - (a) they are designated for medium density housing or for further subdivision; or
  - (b) they have an area greater than 500m² and the subdivision would not enable a lot of less than 500m².
- All building works must be contained within the building envelope and subject to approved variations; they must also comply with current Planning Controls / ResCode.
- Every dwelling must be set back from the front boundary according to lot size and type.
- Garages located on the primary street frontage must also be located a minimum of 0.5 metres behind the main façade of the dwelling unless otherwise noted or approved to vary this guideline by the M.D.R.
- Decking and pergolas are permissible encroachments and as such may encroach up to 2
  metres into selected setbacks pending approval from the Building Surveyor, local Authority /
  ResCode and Guidelines conditions.
- Verandahs, porticos and entries are also permitted encroachments within the front setback. The maximum encroachment is 0.5 metres which is also dependant on approval from the Building Surveyor, local Authority/ResCode and Guidelines conditions.

#### 2.2 Corner Lots - Specific

Corner lots have significant impact on neighborhood character, and therefore, considerable attention is required to ensure that a desirable outcome is achieved for both the home owner and the Mandalay Estate as a whole.

It is important that corner lots address their prominent position in the streetscape while contributing to the creation of an attractive, safe living environment. They form a gateway to adjoining streets, therefore it is essential that the dwelling addresses both street frontages with articulation of the built form including varying materials, window and door openings.

It is important that corner lot homes are articulated to provide an appropriate corner feature to your home that will 'turn the corner' for both single and two storey dwellings. One or more of the following building elements is to be incorporated into the design as a corner feature;

- Windows
- Feature gable, window, etc.
- A return verandah or balcony
- An articulated step back or setback.
- A change of wall finish (material) that assists in softening the mass of the building

- Blank walls of more than 8 metres to the secondary facade (side street) will not be permitted.
- Corner allotments with proposed crossovers intended to be located to the side street frontage may be considered by the M.D.R. on an individual basis.
- A return verandah or balcony

Alternative submissions will be considered on an individual basis by the M.D.R.





Figure 2.2 Examples of encouraged treatments on corner allotments

#### 2.3 Front Setbacks

LOT SIZE M <sup>2</sup>	MINIMUM habitable FLOOR AREA M2 (excludes garages, carports, porches, porticos, verandahs,	FRONT SET BACK					
	alfresco areas)						
<300m	120m² (12.90sq)	A minimum of 3.0m and a maximum of 3.5m from the front boundary.					
300m² - 450m²	120m² (12.90sq)	A minimum of 4.0m and a maximum of 4.5m from the front boundary, except where the front boundary abuts the golf course, in which case a minimum of 3.0m and a maximum of 3.5m from the front boundary.					
451m² – 600m²	150m² (16.14sq)	A minimum of 4.5m and a maximum of 5.0m from the front boundary, except where the front boundary abuts the golf course, in which case a minimum of 3.0m and a maximum of 3.5m from the front boundary.					
Greater than 600m²	180m² (19.37sq)	A minimum of 5.0m and a maximum of 5.5m from the front boundary, except where the front boundary abuts the golf course, in which case a minimum of 3.0 and a maximum of 3.5m from the front boundary.					

#### 2.4 Side Setbacks

Side setbacks need to allow for adequate landscaping and clear pedestrian access around the dwelling. This will ensure that if retaining walls are necessary there will be a sufficient transition between dwellings and their boundaries. Generally single storey dwellings must have a minimum side setback of 1 metre at ground floor level, however zero lot line construction may be considered if it accords with all relevant authority standards including building envelope plans and profiles. This also applies to boundary setbacks on double storey developments.

On corner lots, buildings must be set back a minimum of 2.0 metres from the secondary street frontage (the smaller lot dimension generally defines the primary frontage). Refer Figure 2.3 for details.




Figure 2.3




Figure 2.4




Figure 2.5

#### 2.5 Dwelling Setbacks to Golf Course Boundaries

Dwellings that have a boundary abutting the golf course boundary are required to have a minimum setback of 3.0 metres from that boundary to promote usable external open space whilst minimizing amenity impact on adjoining properties including over shadowing and overlooking.




Figure 2.5a

#### 3.0 DWELLING DESIGN







Figure 3.1 Examples of preferred dwelling types

#### 3.1 Architectural Character Mandatory Standards

- No dwelling may exceed two storeys in height.
   With a maximum height not exceeding ResCode.
- Ceiling heights for all dwellings must not be less than 2.4 metres above floor level.
- All dwellings must have a verandah, portico, porch or other similar entrance feature surrounding the front entrance.
- Entry porches, verandahs and pergolas must be sympathetic to the overall dwelling design.
- Kit homes and dwellings constructed of second hand materials are not permitted, except with the approval of the M.D.R.
- The main pedestrian entry (front door) or access way to the main pedestrian entry must be visible from the primary street frontage.
- Roof pitches are to be a minimum of 22 degrees. Alternate roof forms including combinations will be considered by the M.D.R. provided it can be demonstrated that they comply with the overall objective and intent of the guidelines.
- Unless otherwise specified or considered as meeting the overall objectives of the guidelines by the MDR, all roofs must be designed having a minimum eaves width of 450mm. Eaves to the frontage of a dwelling must return and continue a minimum distance of 500mm along the connecting return wall and or walls from the said frontage.

Note. Walls constructed on side boundaries will be exempt from the eaves requirements unless otherwise directed by the MDR.

Corner lot dwellings must continue the 450mm eaves profile to both street frontages, then returning the minimum 500mm as noted above unless otherwise approved by the MDR.

- Dwellings designed on golf course lots must have a minimum eaves width of 450mm which is continuous to all elevations unless otherwise approved by the M.D.R.
- Roofing materials must complement the design and style of the proposed dwelling.
   Roof sheeting is to be non-reflective. (muted tones are preferred) Untreated galvanised or zinc finished, tray deck or fibre cement roof materials will not be approved with the intent to minimise reflection issues caused by light coloured or untreated roof surfaces.

#### 3.2 Building Materials and Colour Palette

An important element in maintaining a high quality of residential neighborhood character is the control of external building materials, colours and other related finishes. Natural colours are encouraged as they enhance the architecture and landscaping vision for Mandalay. External walls of each dwelling must be constructed of either:

- Face brickwork
- Rendered or bagged brickwork/ concrete block but must be painted or coloured
- Weatherboards, composite cladding materials and cement sheeting (painted rendered or similar textured finish).
- Selected stone.
- Muted colours and finishes shall be used to blend with the natural setting of Mandalay.
- External windows and doors other than those utilized in an entrance situation are not to contain reflective, frosted, coloured or patterned film on glass unless governed by authority and/or ResCode requirements or approved by the M.D.R.





Figure 3.2 Examples of preferred external colours, materials and finishes.

#### 3.3 Identical Façade Assessment

In order to protect your and your neighbor's investment, two dwellings of the same front facade design shall not be built within 5 dwelling lots of the subject property, this would include lots either side, opposite and other street frontages where applicable (Refer Figure 3.3).

No concept designs and or façade only submissions will be accepted. I.e. submissions must include all information as requested on the Design Approval Application form to initiate the approval process.

#### The final facade assessment decision will be at the discretion of the M.D.R.




Figure 3.3 Facade Assessment


#### 3.4 Environmentally Sustainable Design

This development encourages good environmental design as it positively contributes to the reduction of greenhouse gases, biodiversity, conservation and water cycle management and we encourage good environmentally sustainable design. Mandalay has been designed with a "Third Pipe" recycled water network that will provide each property with the opportunity of reducing demand on potable water resources.

#### 3.5 Garages and Carports

It is preferred that where practicable, garages and carports be designed to minimise their visual impact to the streetscape. All garages must be constructed in harmony with the main dwelling by using materials and colours which reflect the overall architectural theme and vision of Mandalay. In assisting to minimise the visual impact of the garage as a dominant feature to the dwelling façade, the guidelines encourage roof construction of either garage or carport to be incorporated within the main roof form of the dwelling. This intention also extends to the appearance and materials proposed for the garage door to ensure it too reflects the visual connectivity with the proposed dwelling.

- The garage or carport must be constructed at the same time as the dwelling.
- Garages or carports located on the primary street frontage must be located either on the side boundary or within 1.5 metres of that side boundary unless otherwise noted or approved to vary this guideline by the M.D.R.
- Garages or carports located on the primary street frontage of a corner lot (excluding a dual frontage lot) must also be located a minimum of 0.5 metres behind the primary frontage façade of the dwelling unless otherwise noted or approved to vary this guideline by the M.D.R.
- Where garages or carports are located on the secondary street frontage of a corner lot (unless otherwise shown on the plan of subdivision), they must be Setback 5.0 metres from that secondary street boundary and located on or within 1.5 metres of the rear boundary.
- Swing in garages or carports may be permitted subject to special consideration by the M.D.R.
   The standard front setbacks will still apply. All garage or carport walls addressing primary street frontage must be designed to address the said street frontage. i.e. with the inclusion of windows, first floor construction directly over, building articulation, combined roof forms and material finishes that compliment the adjoining dwelling. (Refer Figure 3.4)
- Unenclosed sides of garages or carports are not permitted to face a street frontage but may be located behind garages and residences. The M.D.R. reserves the right to limit the area of an unenclosed garage or carport under roof.
- Garage or carport design must match or complement the home in respect to materials, roof pitch, design, colour, external appearance and quality of construction.
- Individual garage doors shall not be more than 6 metres in width. Roller doors are not permitted.
- The garage or carport must be capable of accommodating a minimum of two vehicles. Golf
  carts must be parked in a garage, carport or a specific storage area to ensure that the cart is
  out of public view whenever not being used.
- 3 car garages will be assessed on their merits; and should be integrated into the body of the
  dwelling, with a door of not more than 5M to the double car accommodation incorporating an
  additional single door to the single garage element and setback a minimum of 500mm from the
  face of the adjacent garage.



SWING IN GARAGE LOT DESIGN PLAN

Figure 3.5



Figure 3.5a Examples of approved garage doors.

#### 3.6 Driveways and Paving

- Driveways must be fully constructed prior to occupying the dwelling.
- A colour sample of the proposed driveway material must be provided with the application submission. Plain colour concrete driveways will not be permitted. Exposed aggregate drives are encouraged as they integrate well within the landscape.
- Driveways shall not exceed 4.5 metres in width at the street crossover and can taper to the maximum width of the garage door or doors.
- Driveways will have a minimum 0.4 metres setback from the side boundary for landscaping irrespective of whether the side boundary is fenced or not.

The incorporation of cart storage and vehicle parking as part of the garage design is recommended. Cart dimensions will vary between manufactures.

It is recommended that you install a 0.1 metre diameter PVC conduit under the driveway to accommodate future irrigation requirements for the garden bed required between the driveway and side boundary.

Driveways must be constructed of:

- Brick and/or concrete pavers;
- Coloured concrete:
- Saw-cut coloured concrete;
- Concrete with exposed aggregate;
- Asphalt with brick borders.

#### **Exposed aggregate**



#### Concrete pavers/Saw-cut coloured concrete



Figure 3.6 Examples of approved driveway finishes.

#### 3.7 Letterboxes

Letterboxes should be designed to compliment and match the dwelling, using the similar materials, colours and finishes. Single post supporting letterboxes will not be permitted.



Figure 3.7 Examples of approved letterboxes.

#### 4.0 FENCING

The fencing of your home and that of your neighbour will affect the overall aesthetics of the Mandalay Estate as it plays an important role in the general definition of the streetscape and transition between public and private spaces. Whilst fencing is intended to provide privacy and a sense of security between dwellings it will not be permitted along main street frontages and within the main front setback of the proposed dwelling.

#### 4.1 Front Fencing

Unless constructed by the Developer or with the prior approval of the M.D.R. no fences shall be constructed along the front or street boundary, or within primary frontage setback.

#### 4.2 Typical Side and Rear Fencing (unless otherwise specified)

Unless otherwise specified in these guidelines, fence construction between adjoining lots must be general accordance with figure 4.2 below, and must finish a minimum of 1 metre behind the primary street frontage façade.

Fences between adjoining lots must be constructed from timber palings and must have timber capping with timber posts exposed to both sides of the fence as per Figure 4.2.

Adjoining owners are solely responsible for the construction and maintenance or replacement of fencing between adjoining lots.

No side fences are to occur within the front garden.

Subject to the approval of the M.D.R., retaining walls or courtyard defining walls may be acceptable in the zone between the front boundary and the front of the dwelling, but must be complimentary in material finish and design to the main dwelling.

For screening and service yards, additional timber fences are acceptable if setback not less than 1 metre from the relevant front corner of the dwelling and are to be in accordance with the Mandalay timber fencing details.




Figure 4.2 typical side & rear fencing

#### 4.3 Corner Lot Fencing

Corner timber fencing (abutting a road reserve or park) will be provided by the developer, constructed in accordance with Mandalay fencing options and will;

- Not exceed 1.8 metres in height and constructed in accordance with the approved Mandalay timber fencing details. Figure 4.3.
- Remain at least 1 metre behind the front facade and return to abut the dwelling. This fencing must also be setback behind the corner treatment.
- Wherever permitted, gates (constructed at expense of purchaser) must be consistent with the adjoining fencing details.





Figure 4.3 corner lot fencing

#### 4.4 Fencing Template

Corner and standard lot fencing plan can be adopted by the owner by signing and attaching this plan and those of diagrams 4.2, 4.3 and 4.4 with the application form submission as an endorsement that the fencing will be carried out as per the Mandalay fencing requirements



4.4 Fencing (template) locations for standard and corner lots

#### 4.5 Golf Lot Fencing

All fencing to the boundaries of golf lots that adjoin the golf course will be installed by the developer at no expense to the purchaser. The fencing will be no higher than 1.5m above the natural finished surface level and constructed using post and rail framework infilled with black PVC coated steel fencing. The bottom rail of the fence construction will be used as the plinth runner.

The developer will also provide gate access to selected allotments that are connected with paths accessing the golf course. No gates will be allowed in fences addressing the golf course unless they open onto a designated pedestrian path. Wherever allowed, gates must be consistent with fence details and subject to the M.D.R. approval.

If a lot already has a fence or wall being part of a fence or wall erected by the developer, the owner must not remove, damage or disfigure it and must maintain it in good condition.




Figure 4.5 Typical Golf Lot Fencing Detail

Notes for construction/materials: 2 Metre spacing for posts Overall fence height is not to exceed 1500mm from natural ground level Posts are to be black powder coated (50X50 square section steel)

#### 5.0 Plumbing & Ancillary Equipment

#### 5.1 Plumbing

Mandalay has been designed with a "Third Pipe" recycled water network that will enable each property to reduce the demand of potable water resources. Dwellings must connect all toilets to the "Third Pipe" recycled water network and provide a minimum of two garden tap outlets, one to the frontage area of the site and the other in the rear area of the site. All garden tap outlets must be connected to the "Third Pipe" recycled water network and colour coded accordingly.

- All external plumbing including spa pumps/motors are to be concealed from public view. Downpipes and gutters are exempt from this requirement.
- No exposed plumbing waste piping is permitted.
- Gutters and downpipe treatment must compliment the house colour.
- Taps, including recycled water taps are not to be free standing and are to be wall or fence mounted.

#### 5.2 Rain Water Tanks

Rain water tanks are encouraged as an environmental initiative however they must be positioned and or screened to restrict them from public view.

#### 5.3 Air Conditioning Units

- Air-conditioning units and exposed components thereof are to be located below the roof ridge line and towards the rear of the property to minimise visual impact. They are to be colour toned to match adjoining wall or roof colour. The units shall be of low profile type and wherever appropriate, be fitted with noise baffles.
- Final position of units to be considerate of lot location i.e. golf course, park land etc. In these areas air-conditioning units should be positioned to minimise visual impact.

#### 5.4 TV Antennae and Satellite Dishes

The Mandalay estate has been equipped with the provision of an optical fibre network enabling the supply of free to air digital and pay television. Therefore TV antennae and other related receivers will generally not be required.

In the unlikely event that an antennae and satellite dish installation (maximum 1 metre diameter) is required, it is to be located toward the rear of the dwelling and below the ridgeline. The intent is to minimize the visual impact from adjoining streetscape and general public areas.

• CB radio antennae will not be permitted.

#### 5.5 Solar Water Heating

The Victorian Government supports the installation of solar hot water heaters through the Victorian Government Solar Hot Water Rebate Program. This is an efficient method of energy conservation and is highly encouraged. For more information visit the Sustainability Victoria website at www.sustainability.vic.gov.au.

Solar hot water piping for dwellings or swimming pools are permitted provided they are located on the roof and installed at the same pitch angle as the roof and where practical they are to be located at the rear of the property to minimise visual impact from public viewing. Tanks for such systems are not permitted to be located on the roof and must be screened from public view.

#### 5.6 Water Efficiency

Water re-use and conservation in today's climate are very important considerations when designing your home. Solutions may include the use of rainwater tanks; low water use plants in the garden, water re-use systems and the use of low water use shower heads and toilets, etc. More information on these important issues can be obtained from Mitchell Shire Council, www.mitchellshire.vic.gov.au, or Yarra Valley Water, www.yvw.com.au.

#### 5.7 Smart Wiring

Recognizing technological advancement in home communications and automation systems, the Mandalay estate has been equipped with an advanced Fibre to the premises (FTTP) network. Initially however it will be necessary for all dwellings to be provided with a lead in communications cable from the title boundary to the enclosure housing the network termination device (NTD). This is to be installed by an accredited electrician in accordance with OptiComms cable entry guidelines. Information in relation to the installation guidelines can be obtained by contacting the OptiComm help desk on 1300 137 800 or accessing the following link http:www.opticomm.net.au/html/services.htm Depending on your personal budget and lifestyle requirements, smart wiring will enable you to combine phone and fax lines, pay TV cabling, sound, computer and internet, intelligent lighting, security, home automation and much more at the one time and it gives the flexibility to add and change in the future without expensive re-wiring costs.

#### 6.0 GENERAL DWELLING INFORMATION

#### 6.1 Screening

To avoid detracting from the visual quality or the character of the streetscape unsightly items and equipment should be screened from the street and public view.

Ground mounted equipment such as heating and cooling units, hot water services including rubbish disposal containers etc shall be screened from public view and shall not be visible from the street, golf course or parkland.

#### 6.2 Clothes Lines & Drying Areas

Clothes lines and drying areas shall be located so that they are not visible to public viewing. Consideration should be given to using an extend-a-line which can be stored when not in use.

#### 6.3 Parking of Heavy Vehicles and Caravans etc.

Trucks or commercial vehicles (exceeding 1.5 tones), recreational vehicles, golf carts and caravans shall be screened from public view when parked or stored.

#### 6.4 Property Settlement and Timing of Works

Construction of all dwellings must commence within twenty four (24) months of settlement and construction must be completed within twelve (12) months of work commencing.

Builders / Developers must settle within twelve (12) months of the Contract of Sale being signed. They must also lodge drawings of the proposed display home to the MDR for review within ninety (90) days of the Contract of Sale being signed. Construction of the dwelling must be completed within 300 calendar days after receiving developer's approval of the proposed display home.

These conditions can be varied by specific terms in the Contract of Sale.

#### 6.5 Aluminium Roller Shutters to Windows

The use of aluminium roller shutters to windows is prohibited.

#### 6.6 Window Furnishings

Internal windows furnishings which can be viewed by the public must be fitted within three (3) months of occupancy. Sheets, blankets, or similar materials for which window furnishing is not their primary use, will not be permitted.

#### 6.7 Maintenance of Lots

The Purchaser shall not allow any rubbish including site excavations and building materials to accumulate on a lot (unless the rubbish is neatly stored in a suitably sized industrial bin or skip) or allow excessive growth of grass or weeds upon the lots.

The Purchaser shall not place any rubbish including site excavations and building materials on adjoining land, reserves or in any waterway.

The Developer or its agents may enter upon and have access over a lot at any time without creating any liability for trespass or otherwise to remove for rubbish, maintain, slash or mow a lot and the Purchaser agrees to meet the Developer's reasonable costs of doing so.

#### 6.8 Signage

Signage is not permitted on residential lots with the following exceptions:

• Display home signage with the written approval of M.D.R.

- Builders or tradespersons identification (maximum 600mm x 600mm) required during dwelling construction. These signs must be removed within 10 days of the issue of the Certificate of Occupancy.
- One sign only advertising the sale of a complete dwelling is permitted. These signs must be removed within 10 days of the property being sold.
- There are to be strictly no signs erected for the purposes of advertising the sale of a vacant lot other than any sign that relates to the sale of such lot by the Developer.
- Other signs may be permitted with approval of the M.D.R.

#### 7.0 LANDSCAPING

The Developer will provide Mandalay residents with high quality landscaping to both the streetscapes and also individual lots. This investment in quality public and private landscaping adds significant value to any community. It not only promotes an attractive neighborhood but also improves the value of your dwelling. Appropriately designed gardens contribute in a positive way to the quality of the built environment.

Gardens will be environmentally responsive by utilizing appropriate drought tolerant sensitive plants, organic or mineral mulches and drip irrigation systems.


Included in the purchase of your land is a landscaped front garden where you will be given the opportunity to work with our landscape team to design a garden that is specifically tailored to meet your individual tastes. In order to commence construction of your garden you will need to contact the Mandalay Design Reviewer once you have requested Certificate for Occupancy from Council.


- You must contact the Mandalay Design Reviewer prior to obtaining CFO and advise that you are ready to meet with the landscape consultant.
- The Mandalay Design Reviewer will contact the nominated landscape Consultant and advise them of your position
- The Landscape consultant will contact you and make an appointment with you to go over the
  available options and tailor them to be more specific to your tastes.
- Once the plans have been drawn and approved by you the Developer will have a maximum of 6 months in which they must carry out those works to your front garden. This is to allow for specific periods of the year in which planting is not desirable.
- It will be your responsibility to keep the plants and shrubs / trees alive and establish the grass and maintain the garden once complete.





Figure 7.0 encouraged landscape elements





#### WARNING

#### BEWARE OF UNDERGROUND SERVICES


The locations of underground services are approximate only an their exact position should be proven on site.

No guarantee is given that all existing services are shown, ocate all underground services before commencement of work

**DIAL 1100 BEFORE YOU DIG** 

PRELIMINARY PRINT NOT FOR CONSTRUCTION

	YRIGHT All rights reserved					_	_		
Beverid	Ige Williams & Co. Pty Ltd has granted a licence to the principle to use this docume uthorised copying is permitted	ant for its inter	nded pur						
No una	utnonsed copying is permitted								
P1	ISSUED FOR INFORMATION	23.09.21	M.F.J.	R.W.					
REV	REV DESCRIPTION		DRN.	APP.	REV	DESCRIPTION	DATE	DRN.	APP.










Project Details	MANDALAY STAGE 66 MITCHELL SHIRE COUNCIL
Drawing Title	BUILDERS PLAN

Sheet 01 of 01 1:500 @ A1

1600048 66 BLD







#### WARNING

#### BEWARE OF UNDERGROUND SERVICES


The locations of underground services are approximate only an their exact position should be proven on site.

No guarantee is given that all existing services are shown, ocate all underground services before commencement of work

**DIAL 1100 BEFORE YOU DIG** 

PRELIMINARY PRINT NOT FOR CONSTRUCTION

	YRIGHT All rights reserved					_	_		
Beverid	Ige Williams & Co. Pty Ltd has granted a licence to the principle to use this docume uthorised copying is permitted	ant for its inter	nded pur						
No una	utnonsed copying is permitted								
P1	ISSUED FOR INFORMATION	23.09.21	M.F.J.	R.W.					
REV	REV DESCRIPTION		DRN.	APP.	REV	DESCRIPTION	DATE	DRN.	APP.







Project Details	MANDALAY STAGE 66 MITCHELL SHIRE COUNCIL
Drawing Title	BUILDERS PLAN

Sheet 01 of 01 1:500 @ A1

1600048 66 BLD

#### PLAN OF SUBDIVISION PS 617320S / S66 LOCATION OF LAND **MERRIANG** PARISH: TOWNSHIP: **BEVERIDGE** SECTION: 14 69 (PART) & 71 (PART) CROWN ALLOTMENT: **CROWN PORTION:** 13 (PART) TITLE REFERENCE: VOL FOL PS617320S LOT S61 LAST PLAN REFERENCE: **CAMERONS LANE** POSTAL ADDRESS: **BEVERIDGE 3753** (at time of subdivision) MGA CO-ORDINATES: E: 318 700 ZONE:55 (of approx centre of land N: 5 851 150 in plan) VESTING OF ROADS AND/OR RESERVES **NOTATIONS IDENTIFIER** COUNCIL/BODY/PERSON **ROAD R66** MITCHELL SHIRE COUNCIL LOTS 1 TO 6600 AND S1 TO S61 (ALL INCLUSIVE) HAVE BEEN OMITTED FROM THIS STAGE EASEMENTS E-5 TO E-7, E-9, E-12 TO E-14, E-22 TO E-24 AND E-26 TO E-50 (ALL INCLUSIVE) HAVE BEEN OMITTED FROM THIS STAGE TANGENT POINTS ARE SHOWN THUS: **NOTATIONS** DEPTH LIMITATION DOES NOT APPLY LOTS ON THIS PLAN MAY BE AFFECTED BY ONE OR MORE OWNERS CORPORATIONS - SEE OWNERS CORPORATION SEARCH REPORT FOR STAGING: **DETAILS** This is a staged subdivision. ADDITIONAL PURPOSE OF THIS PLAN: TO REMOVE THAT PART OF EASEMENTS E-19 ON PS617320S (PREVIOUS STAGE) NOW CONTAINED IN ROAD R66 ON THIS PLAN **GROUNDS FOR REMOVAL:** AGREEMENT BY ALL INTERESTED PARTIES VIDE SEC 6(1)(k) OF THE SUBDIVISION ACT **EASEMENT INFORMATION** LEGEND: A - Appurtenant Easement E - Encumbering Easement R - Encumbering Easement (Road) Easement Width Land Benefited/In Favour Of Purpose Origin Reference (Metres) SEE DIAG THIS PLAN (PREVIOUS STAGE) MITCHELL SHIRE COUNCIL DRAINAGE E-1 SEWERAGE SEE DIAG THIS PLAN (PREVIOUS STAGE) YARRA VALLEY WATER LIMITED E-1 **POWERLINE** SEE DIAG E-2 THIS PLAN (PREVIOUS STAGE) SPI ELECTRICITY PTY LTD -SEC 88 ELECTRICITY **INDUSTRY ACT 2000** E-3 **SEWERAGE** SEE DIAG THIS PLAN (PREVIOUS STAGE) YARRA VALLEY WATER LIMITED THIS PLAN (PREVIOUS STAGE) E-4 DRAINAGE SEE DIAG MITCHELL SHIRE COUNCIL MANDALAY - 66 LICENSED SURVEYOR: ANDREW J. REAY 23 LOTS AND BALANCE LOT S62 DATE: 17/09/21 REFERENCE: AA0015 ORIGINAL SHEET SIZE: A3 Lyssna Group Pty Ltd DRAWING: ST066AA DRAWN BY: LS SHEET 1 OF 11 ABN 18 616 811 191 Tel: +61 3 9516 6899 PO Box 1098, South Melbourne 3205 Suite 3, 102 Dodds Street Southbank VIC 3006 Australia LyssnaGroup.com

E - Encumbering Easement

SEE DIAG

SEE DIAG

SEE DIAG

SEE DIAG

A - Appurtenant Easement

LEGEND:

PS 617320S / S66

#### **EASEMENT INFORMATION**

R - Encumbering Easement (Road)

Easement Width Purpose Origin Land Benefited/In Favour Of Reference (Metres) E-8 DRAINAGE SEE DIAG THIS PLAN (PREVIOUS STAGE) MELBOURNE WATER CORPORATION E-10 **DRAINAGE** SEE DIAG THIS PLAN (PREVIOUS STAGE) MELBOURNE WATER CORPORATION THIS PLAN (PREVIOUS STAGE) E-10 **SEWERAGE** SEE DIAG YARRA VALLEY WATER LIMITED MELBOURNE WATER CORPORATION E-11 DRAINAGE SEE DIAG THIS PLAN (PREVIOUS STAGE) THIS PLAN (PREVIOUS STAGE) SPI ELECTRICITY PTY LTD E-11 **POWERLINE** SEE DIAG -SEC 88 ELECTRICITY **INDUSTRY ACT 2000 DRAINAGE** SEE DIAG THIS PLAN (PREVIOUS STAGE) MITCHELL SHIRE COUNCIL E-15 SEE DIAG THIS PLAN (PREVIOUS STAGE) E-15 **DRAINAGE** MELBOURNE WATER CORPORATION **DRAINAGE** SEE DIAG THIS PLAN (PREVIOUS STAGE) E-16 MITCHELL SHIRE COUNCIL E-16 **DRAINAGE** SEE DIAG THIS PLAN (PREVIOUS STAGE) MELBOURNE WATER CORPORATION E-16 **POWERLINE** SEE DIAG THIS PLAN (PREVIOUS STAGE) SPI ELECTRICITY PTY LTD -SEC 88 ELECTRICITY **INDUSTRY ACT 2000** THIS PLAN (PREVIOUS STAGE) MITCHELL SHIRE COUNCIL E-17 DRAINAGE SEE DIAG **POWERLINE** THIS PLAN (PREVIOUS STAGE) SPI ELECTRICITY PTY LTD E-17 SEE DIAG -SEC 88 ELECTRICITY **INDUSTRY ACT 2000** THIS PLAN (PREVIOUS STAGE) E-18 **CARRIAGEWAY** SEE DIAG VOL 11161 FOL 382 SUPPLY OF WATER BY PIPELINE E-19 SEE DIAG THIS PLAN (PREVIOUS STAGE) YARRA VALLEY WATER CORPORATION THIS PLAN (PREVIOUS STAGE) E-20 DRAINAGE SEE DIAG MITCHELL SHIRE COUNCIL SEE DIAG E-20 **SEWERAGE** THIS PLAN (PREVIOUS STAGE) YARRA VALLEY WATER CORPORATION **DRAINAGE** SEE DIAG THIS PLAN (PREVIOUS STAGE) E-21 MITCHELL SHIRE COUNCIL SEE DIAG THIS PLAN (PREVIOUS STAGE) E-21 **SEWERAGE** YARRA VALLEY WATER CORPORATION E-21 SUPPLY OF WATER BY PIPELINE SEE DIAG THIS PLAN (PREVIOUS STAGE) YARRA VALLEY WATER CORPORATION E-25 **SEWERAGE** SEE DIAG YARRA VALLEY WATER CORPORATION THIS PLAN (PREVIOUS STAGE)

THIS PLAN

THIS PLAN

THIS PLAN

THIS PLAN

MITCHELL SHIRE COUNCIL

MITCHELL SHIRE COUNCIL

YARRA VALLEY WATER CORPORATION

YARRA VALLEY WATER CORPORATION

MANDALAY - 66

E-51

E-52

E-53

E-53

**DRAINAGE** 

**SEWERAGE** 

DRAINAGE

**SEWERAGE** 




LyssnaGroup.com


ABN 18 616 811 191
Tel: +61 3 9516 6899
PO Box 1098, South Melbourne 3205
Suite 3, 102 Dodds Street
Southbank VIC 3006 Australia

LICENSED SURVEYOR: ANDREW J. REAY

DATE: 17/09/21 REFERENCE: AA0015
DRAWING: ST066AA DRAWN BY: LS


ORIGINAL SHEET SIZE: A3
SHEET 2






## PS 617320S / S66 PLAN OF SUBDIVISION SEE SHEET 3 106°00' S62 (3 PARTS) SEE SHEET 3 BEACON S62 (3 PARTS) 279°21′ (16.82) **ENLARGEMENT No.5** NOT TO SCALE SEE ENLARGEMENT S62 (3 PARTS) SEE **ENLARGEMENT ENLARGEMENT No.6** No.6 NOT TO SCALE SEE SHEET 3 SCALE MANDALAY - 66 50 12.5 25 37.5 LICENSED SURVEYOR: ANDREW J. REAY 1:1250 التسلسيا LENGTHS ARE IN METRES **Lyssna Group Pty Ltd** ABN 18 616 811 191 DATE: 17/09/21 REFERENCE: AA0015 ORIGINAL SHEET SIZE: A3 SHEET 5 DRAWING: ST066AA DRAWN BY: LS Tel: +61 3 9516 6899 PO Box 1098, South Melbourne 3205 Suite 3, 102 Dodds Street Southbank VIC 3006 Australia LyssnaGroup.com

#### PS 617320S / S66 PLAN OF SUBDIVISION SEE SHEET 3 **S62** (3 PARTS) **SEE SHEET 3** S62 (3 PARTS) 279°51′ 1.50 ¬ <sup>286</sup>°08'20" 23.96 GOLF 106°08'20" 17.26 R978 R978 DRIVE **ENLARGEMENT No.7** (C54.06) 107°43'20" E-2 1.50 NOT TO SCALE E-2 1.50 SEE **ENLARGEMENT** No.7 E-2 1.50 S62 E-3 24.26 (3 PARTS) 93°06' 95°10' 9.63 2.50 7.05 SEE E-3 ENLARGEMENT E-3 2.50 **S62** 3°05'40" **ENLARGEMENT No.8** (3 PARTS) NOT TO SCALE **SEE SHEET 3** \_E-3 2.50 193.99 (77.86)SEE 273°05'40" 271.85 273°05'40" SHEET 3 8 SHEET 7 SCALE MANDALAY - 66 15 45 LICENSED SURVEYOR: ANDREW J. REAY 1:1500 LENGTHS ARE IN METRES **Lyssna Group Pty Ltd** DATE: 17/09/21 REFERENCE: AA0015 **ORIGINAL SHEET SIZE: A3** ABN 18 616 811 191 DRAWING: ST066AA DRAWN BY: LS SHEET 6 Tel: +61 3 9516 6899 PO Box 1098, South Melbourne 3205 Suite 3, 102 Dodds Street Southbank VIC 3006 Australia LyssnaGroup.com





PS 617320S / S66

ORIGINAL SHEET SIZE: A3

SHEET 9

#### **CREATION OF RESTRICTION "A"**

The following restriction is to be created upon registration of this Plan:

Land to benefit: Lots 6601 to 6623 (both inclusive) on the Plan of Subdivision

Land to be burdened: Lots 6601 to 6623 (both inclusive) on the Plan of Subdivision

#### **DESCRIPTION OF RESTRICTION**

- 1. The registered proprietor or proprietors for the time being of any burdened lot on this Plan to which any of the following restrictions apply shall not:
  - (a) build or allow to be built any improvement on any lot:
    - (i) other than in accordance with the restrictions contained in Memorandum of Common Provisions registered in application No. which are incorporated into this plan.
    - (ii) that is not in accordance with the Mandalay Design and Siting Guidelines and Restrictions unless otherwise approved by the Mandalay Design Reviewer, 501 Blackburn Road, Mt Waverley, Victoria 3149 ("Mandalay Design Reviewer"), a copy of which guidelines and restrictions can be obtained from the Mandalay Design Reviewer; and
    - (iii) without obtaining written approval of the design for that improvement from the Mandalay Design Reviewer, which approval must be obtained even if the design for that improvement complies with the Mandalay Design and Siting Guidelines and Restrictions;
  - (b) build or allow to be built more than one (1) dwelling on a lot;
  - (c) demolish, remove, alter or damage any fence on or near the boundary of a lot except to replace that fence;
  - (d) replace any fence on or near the boundary of a lot unless the replacement fence is:
    - (i) of a comparable type and colour to the fence which it replaces; and
    - (ii) is constructed of the same or similar materials as the fence which it replaces
  - (e) use any potable water for irrigation of any landscaping on a lot;
  - (f) if a dwelling has been erected on the lot, erect or allow to remain on the lot more than one sign, notice, advertisement, placard or other material advertising the lot or any other lot for sale or calling for any expression of interest in purchasing the lot or any other lot unless the lot or other lot is being sold by Beveridge Land Pty Ltd, and
  - (g) if a dwelling has not been erected on the lot, erect or allow to remain on the lot any sign, notice, advertisement, placard or other material advertising the lot or any other lot for sale or calling for any expression of interest in purchasing the lot or any other lot unless the lot or other lot is being sold by Beveridge Land Pty Ltd.
- 2. The restriction will cease to have effect in relation to a burdened lot 10 years after the date of registration of the stage on this Plan that created the burdened lot.

#### **CREATION OF RESTRICTION "B"**

The following restriction is to be created upon registration of this Plan:

Land to benefit: Lots 6601 to 6623 (both inclusive) on the Plan of Subdivision

Land to be burdened: Lots 6601 to 6623 (both inclusive) on the Plan of Subdivision

#### **DESCRIPTION OF RESTRICTION**

The registered proprietor or proprietors from the time being of any burdened lot on this Plan to which any of the following restrictions apply shall not further subdivide a lot:

- 1. if that lot has an area of less than 500 square metres; or
- 2. if that subdivision would create a lot which has an area of less than 500 square metres

MANDALAY - 66 LICENSED SURVEYOR: ANDREW J. REAY Lyssna Group Pty Ltd DATE: 17/09/21 REFERENCE: AA0015 ABN 18 616 811 191 DRAWING: ST066AA DRAWN BY: LS Tel: +61 3 9516 6899 PO Box 1098, South Melbourne 3205 Suite 3, 102 Dodds Street Southbank VIC 3006 Australia LyssnaGroup.com

PS 617320S / S66

#### **OWNERS CORPORATION No.1**

LAND AFFECTED BY OWNERS CORPORATION: LOTS 1 TO 300, 902 TO 916, 918 TO 928, 1201 TO 1236, 1401 TO 1444, 1501 TO 1544, 1601 TO 1634, 1701 TO 1746, 1801 TO 1817, 1901 TO 1910, 2001 TO 2040, 2101 TO 2150, 2301 TO 2372, 2701 TO 2738, 2801 TO 2833, 2901 TO 2928,

3001 TO 3033, 3101 TO 3143, 3201 TO 3236, 3301 TO 3331, 3401 TO 3434, 3501 TO 3531, 3601 TO 3631, 3701 TO 3744, 3801 TO 3856, 3901 TO 3938, 4001 TO 4036, 4101 TO 4138, 4201 TO 4237, 4301 TO 4352, 4401 TO 4422, 4501 TO 4518, 4601 TO 4621, 4623 TO 4633, 4801 TO 4831, 6001 TO 6017, 6101 TO 6129, 6301 TO 6317, 6401 TO 6451, 6501 TO 6519, 6601 TO 6623, 6701 TO 6729, 8101 TO 8149, 9701 TO 9711 (ALL INCLUSIVE), S3, S54, S60, S62 & COMMON

PROPERTY No.1

**LIMITATION ON OWNERS CORPORATION:** 

UNLIMITED

**NOTATIONS** 

NIL

#### LOT ENTITLEMENT AND LOT LIABILITY

			LOI ENIIILE	MENI AND L	OI LIABILIT	Y		
LOT	ENTITLEMENT	LIABILITY	LOT	ENTITLEMENT	LIABILITY	LOT	ENTITLEMENT	LIABILITY
1 TO 47 & S3 (STAGE 1)	4800	4800	2801 TO 2833 (STAGE 28)	3300	3300	6501 TO 6519 (STAGE 65)	1900	1900
48 TO 99 (STAGE 2)	5200	5200	3001 TO 3033 (STAGE 30)	3300	3300	4201 TO 4237 (STAGE 42)	3700	3700
100 TO 138 (STAGE 3)	3900	3900	3101 TO 3143 (STAGE 31)	4300	4300	4301 TO 4352 (STAGE 43)	5200	5200
139 TO 173 (STAGE 4)	3500	3500	9701 TO 9711 (STAGE 97)	1100	1100	4401 TO 4422 (STAGE 44)	2200	2200
174 TO 206 (STAGE 5)	3300	3300	2901 TO 2928 (STAGE 29)	2800	2800	4601 TO 4621 4623 TO 4633 & S54	3201	3201
207 to 244 (STAGE 6)	3800	3800	6001 TO 6017 (STAGE 60)	1700	1700	(STAGE 46) 4501 TO 4518		
245 to 278 (STAGE 7)	3400	3400	3201 TO 3236 (STAGE 32)	3600	3600	(STAGE 45)	1800	1800
279 to 300 (STAGE 8)	2200	2200	6301 TO 6317 (STAGE 63)	1700	1700	4801 TO 4831 & S60 (STAGE 48)	3101	3101
902 to 916 & 918 to 928	2600	2600	3301 TO 3331 (STAGE 33)	3100	3100	6401 TO 6451 (STAGE 64)	5100	5100
(STAGE 9) 1401 to 1444	4400	4400	3401 TO 3434 (STAGE 34)	3400	3400	6701 TO 6729 (STAGE 67)	2900	2900
(STAGE 14)	1.00	1100	3501 TO 3531	3100	3100	6601	100	100
1501 to 1544 (STAGE 15)	4400	4400	(STAGE 35)		0.00	6602 6603	100 100	100 100
1601 to 1634 (STAGE 16)	3400	3400	3701 TO 3744 (STAGE 37)	4400	4400	6604 6605	100	100 100 100
1701 to 1746 (STAGE 17)	4600	4600	3601 TO 3631 (STAGE 36)	3100	3100	6606 6607	100 100	100 100
1801 to 1817 (STAGE 18A)	1700	1700	3801 TO 3856 (STAGE 38)	5600	5600	6608 6609	100 100	100 100
1901 TO 1910	1000	1000	3901 TO 3938 (STAGE 39)	3800	3800	6610 6611 6612	100 100 100	100 100 100
(STAGE 19) 2001 TO 2040	4000	4000	6101 TO 6129 (STAGE 61)	2900	2900	6613 6614	100 100 100	100 100 100
(STAGE 20) 2101 TO 2150	5000	5000	4001 TO 4036 (STAGE 40)	3600	3600	6615 6616	100 100	100 100
(STAGE 21) 2701 TO 2738	3800	3800	2301 TO 2372 (STAGE 23)	7200	7200	6617 6618 6619	100 100 100	100 100 100
(STAGE 27) 8101 TO 8149			1201 TO 1236 (STAGE 12)	3600	3600	6620	100	100
(STAGE 81)	E 81) 4900 4900 4101 TO 4138		3800	3800	CON	    TINUED ON SHE 	ET 11	
			(=,					

MANDALAY - 66



LyssnaGroup.com

Lyssna Group Pty Ltd ABN 18 616 811 191 Tel: +61 3 9516 6899 PO Box 1098, South Melbourne 3205 Suite 3, 102 Dodds Street Southbank VIC 3006 Australia

LICENSED SURVEYOR: ANDREW J. REAY

REFERENCE: AA0015 DATE: 17/09/21 DRAWING: ST066AA DRAWN BY: LS

**ORIGINAL SHEET SIZE: A3** SHEET 10

PS 617320S / S66

#### **OWNERS CORPORATION No.1**

		$\Delta T$ I		ITV
I OT FNTITI	$\Delta NIII$	()	IARII	IIY

	T		LOI ENTITLEMENT AND LOT LIABILITY							
LOT	ENTITLEMENT	LIABILITY	LOT	ENTITLEMENT	LIABILITY	LOT	ENTITLEMENT	LIABILITY		
6721	100	100								
6722	100	100								
6723	100	100								
S62	1	1								
TOTAL	170703	170703								
MANDALAY - 66			LICENSED SI	JRVEYOR: ANDR	FW.I RFAY	ш				

LyssnaGroup.com

Lyssna Group Pty Ltd ABN 18 616 811 191 Tel: +61 3 9516 6899 PO Box 1098, South Melbourne 3205 Suite 3, 102 Dodds Street Southbank VIC 3006 Australia

LICENSED SURVEYOR: ANDREW J. REAY

DATE: 17/09/21 REFERENCE: AA0015 DRAWING: ST066AA DRAWN BY: LS

ORIGINAL SHEET SIZE: A3

SHEET 11