
Stage 8 Plan






Whilst every effort has been made to accurately describe the details of the development project referred to in this stage plan, the availability of certain products, materials and other changes may result in some variation to the information provided. The developer, agent and vendor accept no responsibility for the accuracy of any information contained in this brochure or for any action taken in reliance thereon by any recipient of the stage plan. Recipients should make their own enquiries to satisfy themselves as to all aspects of any development or product referred by herein. All modern marketing materials, artistic impressions and plans in relation to any development are conceptual and illustrative only. All plans, concepts and materials to be used in any developmentare subject to approval from all relevant authorities. Changes may be made without notice to the whole orany part of the development. This stage plan only contains general information about our products and services. Unless expressly stated otherwise, this stage plan does not constitute an offer or inducement enter into a legally binding contract, or form part of the terms and conditions for our products and services or purport to provide you with personal financial or investment advice of any kind.









LIFESTYLE INCLUSIONS

Whether you're building for investment or to create a home, our Lifestyle Inclusions package will ensure a home that is practical, refined and designed for everyday living.

The fixtures and fittings in our Lifestyle package are modern, balanced and refreshing.

Pre-Construction

- > Engineers soil report and slab design
- Council building application fees (standard applications based on Local City Council excluding town planning, bonds etc.)

Site Works, Foundations and Connections

- > Fixed price site works including cut/fill
- Engineer designed concrete slab and footings with control joints where applicable
- > Timber frame and trusses
- > Termite treatment to slab penetrations and physical perimeter barrier
- > Sewer and storm water connections to existing serviceable connection points
- > Water connection from pre-tapped water main

Energy Efficiency

- > 7 Star Rated as per government regulations.
- > Ceiling batts where required to achieve 7 Star Rating
- > Wall batts where required to achieve 7 Star Rating
- > Wall-wrap to external walls where required to achieve 7 Star Rating
- > Energy efficient hot water unit
- > Weather seals fitted to external hinged doors
- > Energy efficient down lights to dwelling and garage
- > Ceiling fan from Builders' Range to alfresco and living area
- > Anticon blanket to underside of roof



Bricks, Windows, Roofing and Garage

- > Select Range of clay bricks from the Builders' Standard Range (refer plans for details)
- > Natural mortar with ironed joints
- > Feature render finish to front façade (where required - refer plan for details)
- > Powder coated aluminium windows in the standard Builders' Standard Range of colours
- > Powder coated aluminium framed fibreglass flyscreens to all openable windows
- > Grill style barrier screen to living/alfrescosliding door and laundry sliding doors (where applicable)
- Keyed window locks to all opening sashes and sliding doors
- > Metal roof in the standard Builders' Standard Range of colours (refer plans for details)
- > Auto sectional garage door to the front facade of the garage in Builders' Standard Range of colours including (2) handsets
- > Metal fascia and gutter in the standard Builders' Standard Range of colours
- Obscure glass to bathroom, ensuite and W.C windows

Tiles and Tiling

- > 450 x 450mm pressed edge ceramic tiles from Builders' Standard Range to main floor and wet area floors, cut to 200mm high tile skirt to wet areas and as feature to bath face and hob (refer plans).
- > 250 x 400mm pressed edge ceramic tiles from Builders' Standard Range to 2000mm high tiling to shower areas and 500mm high tiling above bath walls
- > 100 x 300mm pressed edge ceramic tiles from Builders' Standard Range to kitchen and laundry splash back to 600mm high or to underside of overhead cupboards
- > 450x450mm external pressed edge ceramic tiles from Builders' Standard Range to Alfresco.

Bathroom, Ensuite and W.C

- > 20mm stone bench tops from Builders' Standard Range
- > Laminate finish vanities in the standard Builders' Standard Range of laminates & door handles (soft close hinges to doors)
- > 1970mm high clear laminated aluminium semiframed shower screens in the Builders' Standard Range of colours
- > Builders' Standard Range white acrylic bath (1525mm)
- > 1050mm high frameless polished edge mirrors fitted to same width as vanity unit
- > Chrome mixer tapware from Builders' Standard Range
- > Chrome metal double towel rails and toilet roll holders from Builders' Standard Range
- > Dual flush vitreous china with soft close seat from Builders' Standard Range
- > Semi inset basin china basins with overflow from Builders' Standard Range
- > Hand shower on rail from Builders' Standard Range
- > Strip drain to all showers



Electrical

- > Earth leakage safety switch and circuit breakers
- > Single phase power connection from existing supply point. Meter box will be installed on the side nearest mains connection point
- > Double power point to each room as per electrical plan
- One (1) television point to each living/lounge + bedroom 1 (complete with 6 lineal metres of cable and antenna)
- Smoke detectors (hard wired with battery backup)
- Provide NBN lead in conduit only (ready for connection by others, developer / owner responsible for supply connection to property boundary)
- > Pre-wiring for two (2) phone / data points
- > Weatherproof external light fittings (where applicable)
- > Ceiling fans from Builders' Standard Range to bedrooms, lounge/living
- Exhaust fan to internal bathroom, ensuite and powder room or WC (if applicable) as per NCC
- > Wall mounted split system reverse cycle air conditioner to living room
- > Wall mounted split system reverse cycle air conditioner to Bedroom 1
- > Wet weather double GPO to Alfresco

Kitchen

- > 20mm stone bench tops from Builders' Standard Range
- Laminate finish to joinery in the standard Builders' Standard Range of laminates & door handles (soft close hinges to doors and drawers)
- Overhead cupboards to kitchen with plaster lined bulkhead (where applicable) - refer plan for details
- Microwave space to cabinetry (Where applicable refer to plan for details)
- > Builders' Standard Range 600mm stainless steel under bench oven
- > Builders' Standard Range 600mm electric ceramic cooktop
- > Builders' Standard Range freestanding stainlesssteel dishwasher
- > Builders' Standard Range 600mm wide stainless steel retractable slide out rangehood
- > Builders' Standard Range Inset stainless steel kitchen sink with drainer
- > 2 x pendant lights above island bench (if applicable) from Builders' Standard Range
- > Gooseneck style kitchen sink mixer from Builders' Standard Range
- > 4 x melamine shelving to WIP (if applicable to desian)
- > Cold water fridge point to refrigerator cavity





Included Internal and External Features

- > 2440mm nominal ceiling height
- Paint grade feature external front door with clear glazing from Builders' Standard Range (refer plans)
- > Flush panel paint grade external hinged doors to other external doors (where applicable)
- > Paint grade flush panel internal passage doors, 870mm wide where required
- > Builders' Standard Range Tri-Lock leverset to front entry door
- > Builders' Standard Range lockset to all other external hinged doors
- Internal lever door furniture from Builders' Standard Range
- Builders' Standard range cushion door stops throughout
- > 90mm paint grade coved cornice, 42 x 11mm paint grade splayed architraves and 68 x 11mm paint grade splayed skirting
- > Three (3) coat, one colour internal paint system to Manufacturers specifications in Builders' Standard colour or builders white
- > Two (2) coats to ceiling to paint manufacturers standard specifications
- > Two (2) coat external paint system to external trim and doors to paint manufacturers standard specifications
- > Framed mirror sliding robe doors and melamine single rail and shelf to wardrobes
- > Framed vinyl sliding doors to linen with melamine shelving (where applicable refer plan for details)
- Roller blinds to all windows and sliding glass doors

 excludes wet areas, window behind cooktop
 (where applicable) and garage
- > Builders' Standard Range carpet to bedrooms, lounge, staircase (if applicable) as per plan

- > Freestanding Laundry cabinet with stainless steel tub from Builders' standard Range.
- > Two (2) external garden hose taps
- > AAA rated hand shower rail and tapware
- > 500 KPA water pressure limiting device
- Exposed aggregate (unsealed) concrete from Builders' Standard Range to driveway, path and alfresco
- Landscaping including A grade Wintergreen turf to front and rear yard and Builders' Standard grade garden bed to front garden with garden edging
- > Butted unfinished pine fencing to side and rear boundaries including returns and gate
- Fold down clothesline from Builders' Standard Range
- > Render finish painted letterbox and metal insert from Builders' Standard Range
- > Cover grade MDF staircase with paint grade pine post and hand rail and powder coat balustrading (if applicable to design)
- > Laminate grade study desk where applicable (refer plans)

Warranties

- > Twelve months maintenance period
- > 6 year structural guarantee


25th October 2024



RENT APPRAISAL FOR LOT 180 NEW ROAD JOYNER 4500

The rental estimate for a 4-bedroom, 2 living area, 2-bathroom, 2 car space house, to be between \$800 and \$850 per week

This would of course change due to market conditions closer to completion stages.



DISCLOSURE PLAN

For Proposed Lot 180 Mayfair Joyner - Stage 5

Currently Described As
RPD: Part of Lot 5 on RP880932
Locality: Joyner
Local Authority: Moreton Bay City

Legend: O Finished Surface Contours (0.25m Interval)
O Depth of Fill Contours (0.2m Interval)
O Edge of Pad
O Sewer/Sewer Manhole

RV—RV—RV—RV—RV—Roofwater Pit

Kerb Adapter

Area to be Filled

RL57.32 Design Pad Level
Retaining Wall

RW Retaining Wall Height
ARW Average Retaining Wall Height
(Retaining Wall Heights shown on the lowerside of the wall)

Stormwater/Stormwater Manhole
 Stormwater Gully Trap

Proposed Driveway

Zero Lot Line Boundary

1.8m High Timber Acoustic Fence (Installed by Developer)

Notes:

N

- 1. This note is an integral part of this plan.
- 2. Existing surface contours, depth of fill contours, retaining wall details and proposed services provided by Wolter Consulting Group Detail Survey on 04-04-2024.
- 3. Location of retaining walls are indicative only. Site conditions will dictate construction limits to the material, location, length & thickness of these walls.
- 4. This plan has been prepared under the current legislation for the purpose of presales and should not be used for any other purpose. This plan may not contain all services which affect the subject lot and is based on design information only. This plan should not be used for any detailed designs. 5. This plan has been prepared by Wolter Consulting Group Pty Ltd, Cadastral Surveyor to satisfy Section 11 of the Land Sales Act QLD 1984 (as amended).





DRAWING NO.

19-0274S 05-01-180

VERSION

DATE DRAWN

19-04-2024