

Your exclusive new neighbourhood.



Sports Reserve

Further Open Space
Deanside Primary School
Community Centre

- Medium Density
- House & Land



Existing Residential

Existing Residential

Existing Residential





Site Works

Concrete waffle pod slab, engineer designed "M" up to "P" class, maximum 300mm site fall over the building platform, no existing fill. Slab costs will be adjusted if founding conditions differ.

Compaction report "site specific" is required or else other cost incurred.

Based on land size up to 600m², and a maximum building setback of 6m (subject to planning authority).

Engineer design surface drainage, including silt pits with grated covers, connected to stormwater, (2 No) flexible couplings to sewer, engineer design and certification.

Rock removal is included, however any rock requiring explosives or core drilling will be an additional charge.

Connections

Underground electricity, gas, sewer and storm water included.

Telephone conduit and draw cable from the supply pit.

Telephone and electricity fees by owner.

NBN ready.

External Features

Bricks Clay brick selection from Hattan colour scheme.

Render Acrylic texture coating render. Colour to be selected from Hattan colour scheme.

Tile feature Option 300 x 600mm Horizontal lay to front façade. Colour to be selected from Hattan colour scheme. (Design Specific).

Infills Over Windows Front Elevation - Brick light weight (Façade Specific).
Side and rear Elevations - Brick infill over windows and doors.

Roof Cover Colorbond/Concrete Roof Tiles to be selected from colour selection (Design Specific).

Roof Plumbing Metal gutter, fascia and flashings to be Colorbond finish.

Roof Pitch 22.5 degree. (Design Specific)

Front Entry Door Stain colour to be selected from Hattan colour scheme.

Laundry Door Aluminum sliding door, 2100mm high x 1450mm wide.

Windows Powder coated aluminum awning windows or timber to front façade only (façade design dependent).

Powder coated aluminum windows to side and rear elevations.

Sliding Doors Aluminum powder coated sliding door. Colour to be selected from Hattan colour scheme.

Locks to all windows and sliding doors keyed alike.

| | | | |
|--|---|--|--|
| Framing | Walls | Stabilised timber frame throughout at 450mm centres to ground floor of double storey homes, 600mm centres to single storey homes and first floor of double storey homes. Timber Sizes to be in accordance with AS1684 Timber Framing Code. | |
| | Roof | Engineer designed stabilised timber roof trusses at 600mm centre. | |
| Insulation | Insulation batts to home. | | |
| Internal Features | Ceiling Height | 2590mm ceiling height (nominal) to single storey with 75mm cove cornice. 2590mm ceiling height (nominal) to ground floor of double storey homes, 2440mm ceiling height (nominal) to first floor, 75mm cove cornice throughout. | |
| | Room Doors | Flush panel Honeycomb Core 2040mm high to single storey, 2040mm high to ground floor and first floor of double storey. | |
| | Room Door Furniture | Passage set. Provide Alba Chrome levers through Chrome finish. | |
| | Mouldings | Skirtings - 67x18mm square edge primed MDF. Architraves - 67x18mm square edge primed MDF. | |
| | Plaster | Ceiling Plaster. 10mm plasterboard finish. | |
| | Wall Plaster | Plasterboard 10mm thick. Water resistant plasterboard to Ensuite, Bathroom and above Laundry trough. | |
| | Blinds | Holland blinds to bedrooms and living areas. | |
| | Fly Wire | Fly wire screens to all openable windows. | |
| Paint | Internal & External | Two coats. | |
| | Woodwork & Skirting | Two coats. | |
| Heating & Cooling | Reverse cycle split system (heating and cooling) to living and bedrooms. | | |
| Hot Water System | Hot water unit in accordance with estate design guidelines. | | |
| Kitchen | Haier Stainless Steel oven 600mm. | | |
| | Haier cooktop 600mm 4 burner stainless steel gas. | | |
| | Haier rangehood 600mm stainless steel canopy rangehood. | | |
| | Haier dishwasher 600mm. | | |
| | Sink: Stainless steel double undermount bowl sink. | | |
| | Tap: Pull out tap in chrome finish. | | |
| | Bench Top: Engineered stone benchtop 40mm. Selected as per Hattan colour scheme. | | |
| | Splashback: Selected as per Hattan colour scheme. | | |
| Bathroom, Ensuite, Powder Room & WC | Mirror | Polished edges to full width of vanities sitting on tiled splashback. | |
| | Basin | Ceramic abovemount rectangle. No tap hole low profile square inset basin (white), chrome waste 1 tap hole/overflow. | |
| | Vanity Unit | Vanity unit on tiled pedestal. | |
| | Bench Top | Engineered stone benchtop 40mm. Selected as per Hattan colour scheme. | |
| | Bath | 1525/1675mm acrylic bath (white) in tiled podium. (Design Specific). | |
| | Shower Bases | Ceramic tiled shower base. Selection from Hattan colour scheme range with grated drain system. | |
| | Shower Screens | 1950mm high semi frameless with pivot door and clear laminated glass. | |
| | Taps and Outlets | Ensuite Shower hand shower on rail. | |
| | | Bathroom Shower - Shower hand shower on rail. | |
| | | Bath (Wall Mounted) - Straight wall bath outlet and wall mixer. | |
| | | Basin (Wall Mounted) - Mixer. | |
| | Accessories | Toilet roll holders chrome and double towel rails. | |
| Toilet Suite | China toilet suite in white with soft close seat. | | |
| Laundry | Trough | Design specific. | |
| | Base Cupboard | Up to 800mm wide fully lined modular cabinet or Stainless steel 42L Tub and Cabinet (Design Specific). Refer to working drawings. | |
| | Bench Top | Laminate with square edge. (Design specific). | |
| | Tapware | Sink mixer in chrome finish. | |





| | | |
|-------------------------------------|-----------------------|--|
| Storage | Shelving | Robes - One white melamine shelf and hanging rail. |
| | | Walk in Robe - One white melamine shelf and hanging rail. |
| | | Pantry/Linen - Four white melamine shelves. |
| | | Broom - One white melamine shelf. |
| Stairs (Double Storey Homes) | | Plaster dwarf walls to stairs and void areas with painted timber handrail (refer to staircase layout). |
| Garage | Garage Door | Up to 2100mm high x 4800mm wide Colorbond sectional door in flat line profile. (Design Specific). Refer to working drawings. |
| | Remote Control | Remote control unit to front garage door with 2 handsets. |
| Outdoor | Landscaping | Garden and plants to the front and rear. Instant turf to rear yard. Or as per landscape design on drawings. |
| | Fencing | Timber paling/Colorbond including wing fence and gate to suit estate design covenants. |
| | Paving | Coloured concrete to driveway and front path. |
| | Letterbox | Pre cast concrete letterbox with colour to match house. |
| | Clothesline | Fold out clothesline in rear yard. |

3rd October 2024

Thank you for the opportunity to provide a rental appraisal for your upcoming Parkside development in Deanside.

We have based this appraisal on current market conditions as well as our extensive knowledge of the property market in your area.

Based on this, we believe the rent achievable will be in the vicinity of **\$500.00 - \$525.00 per week**, in the current market.