

RESERVE 3979 m²

SURVEY PLAN

REFERENCE MARKS

EMTM

900

20

3930 m²

21

RP208490

100

110

545

TO ORIGIN **BEARING** DIST O Nail in Conc IS3/4498 53°48′20″ 3.204 O Nail in Kb IS3/4498 12°37′25″ 3.709 O Nail in Conc *IS314498* 287°47′50′ 15.0 2a 4 I/SP306151 21°00′05″ O Screw in Conc 2.93 Í/SP306151 O Screw in Conc 307°04′50″ *5*·596 OIP not searched . ISI32919 278°52′20″ 1.0

EMTN

21

ROAD

23

18

901

22

ROAD

19

EMT O

Area of New Road

(2-3-13-14-15-16-18-21-22-23-8-9-10-11-12-2)

Reinstatement Report • Reinstatement follows IS314498 with marks

from that survey located in good agreement.

3289 m²

PITT EMT K. EMTJ .- EMTH EMTL EM. R ROAD 6 2 <u>SH 3</u> EMTP SEE 24 NEW *15* NEW EMTA-RP861549 <u>NEW ROAD</u> (8-22) 98°52′20″ (109·239) 8 9 10 SH 4 II 12 13 /14/15/16 Emt C RP861549 SEE EmtD278°52′20″ (145·0) **31549** (19–7) RP861549 23 RP 208491 22 **PRELIMINARY** COPY

DISTANCE LINE **BEARING** 2-2a 98°52′20′ 23.017 98°52′20″ 13.483 2a-3

TRAVERSES ETC

ひ ♀

LF SP334445_10403.dwg

LOCALITY: BURPENGARY Survey Records: **⊘**

Meridian: MGA (Zone 56) vide

LOCAL MORETON BAY
GOVERNMENT: REGIONAL COUNCIL

Lots

respectively

respec

Ö

Em

ts

ä

Lots

Lots

900

STANDARD

PRELIMINAR SP334445

1:750

SOUTH BURNETT SURVEYS PTY LTD (ABN 26 010 622 189) (t/a ONF Surveyors) hereby certify that the land comprised in this plan was surveyed by the corporation, by David Neville RAPHAEL, Cadastral Surveyor, for whose work the corporation accept

PRELIMINARY

Peg placed at all new corners, unless otherwise stated.

Scale 1:750 - Lengths are in metres. ليتتنابينا 0 10 20

10

30 40 50 60

70


80


90


CP


SP306151


Land Title Act 1994; Land Act 1994 Form 2IB Version 2 (Dealing No.)			WARNING: Folded or Mutilated Plans will not be accepted. Plans may be rolled. Information may not be placed in the outer margins.		
			4. Lodged by		
ı.	Fyir	sting	(Include address, phone number, email, reference,	and Lodger Code)	
Title		-	New Lots	Road	Secondary Interests
Reference 50065282		Lot 16 on RP861549	I-16 & 901	New R	-
50065283		Lot 17 on RP861549	16-24, 900 & 901	New R	d Emts M—P
	BRANCE EASI	EMENT ALLOCATIONS Lots to be Encumbered			
(Emt D	on RP861549)	8-16 & 901			
		5 / 5 5500/5/			
		Easement E on RP861543 prior to the registration	9 is to be fully extinguished of this plan		
		DRFI IMIN	IADY		
		PRELIMIN COP`			
					cal to determine, no part on this plan encroaches road, shown on this plan
				Cadastral Surveyor/D #delete words not requi	
		I		7. Lodgement Fee	es:
				Survey Deposit	\$
1–24, 900	& 90I	POR 3IV		Lodgement New Titles	\$ \$
Lots		Orig		Photocopy	\$ \$
2. Orig Grant Allocation :			5. Passed & Endorsed:	Postage	\$
3. References: Dept File:			By: South Burnett Surveys Pty Ltd Date:	TOTAL	\$
Local Govt :			Signed:	8. Insert	1224445
Surveyor:	104	403	Designation : Liaison Officer	Plan SP Number	2334445
































LOCATION MAP NOTE: All compaction of Fill to be done in 156-170 PITT ROAD accordance with AS3798-2007. NEW ROAD The compaction level and testing will be completed in accordance with Australian Standard AS3798-2007. PITT 98°52'20' FILL TABLE ROAD PROPOSED 18.0-Stn | on SP306151 Fill Range (metres) EASEMENTS being the north westernmost Cor of CP on SP306/5/ 0.00-0.25 18.47 PROPOSED 0.25-0.50 6 EMTS 5 88888 0.50-1.00 EASEMENT 1.00-1.50 24 22 157·975 260°36'45' 15 NEW 900 PROP RP861549 ROAD Proposed Lot 8 8 9 Proposed $444 \, \text{m}^2$ CP / 12 / 13 /14/15/ _{16 /} 11 Lot 10 SP306151 18 19 20 EmtDRP86/549 901 Emt 23 RP861549 22 RP 208941 18.87 21 18.87 RP208490 "This plan shows the general location of the proposed lot in relation to the other proposed lots in the Estate. Proposed Refer to the Disclosure Plan for identification and Lot 901 Emt D location of the proposed lot. The Seller reserves the right to alter the configurations of other lots as RP861549 identified in this plan at its absolute discretion.' Scale 1:250 - Lengths are in Metres. Scale 1:1000 - Lengths are in metres. 10 12 14 16 18 20 22 24 26 28 Ω 30 32 34 36 38 60 70 90 100 110 0 120 130 140 **LEGEND DISCLOSURE PLAN** -22·0 - Design Contours Retaining Wall PLAN PREPARED BY: Design Building Pad 17.60 Design Pad Level SOUTH BURNETT SURVEYS PTY. LTD. Design Batter **PROPOSED LOT 9** The dimensions and areas shown hereon Brisbane & Sunshine Coast — Ph. 5422 0200 are subject to field survey and also to the BEING PART OF LOT 16 ON RP861549 I. Allotments may have been trimmed, reshaped and topsoil respread. Any earthworks or fill associated with those works is not shown and has not South Burnett & Western Downs - Ph. 4162 2647 requirements of Council and any other been subject to engineering compaction requirements. It is anticipated the depth of such works would not exceed 450mm, however, isolated areas admin@onfsurveyors.com.au auṫhority which may have requirements LAND AT '156-162 PITT RD' greater than the depth may occur. under any relevant legislation. COMP FILE: DP_10403.dwg 2. It is the purchasers responsibility to arrange their own independent geotechnical testing on a filled or any allotment to determine foundation **BURPENGARY** requirements prior to construction. Contour Interval 0.5 Metres. 3. It is the purchasers responsibility to obtain the accurate location of services from the local authority. DATE: 1/11/2022 REBCALBANDERES: 1:1000

This note is an intergral part of this plan.

4. The dimensions and areas shown on this plan are subject to final council sealing approval and registration in the Department of Resources.







LOCATION MAP 156-170 PITT ROAD NEW All compaction of Fill to be done in accordance ROAD with AS3798-2007. The compaction level and testing will be completed in accordance with Australian Standard AS3798-2007. PITT 98°52'20" ROAD PROPOSED FILL TABLE Stn | on SP306151 EASEMENTS Fill Range (metres) being the north westernmost Cor of CP on SP306/5/ 0.00 - 0.2518.30 PROPOSED 18.30 6 EMTS 5 0.25-0.50 2 0.50 - 1.0024 23 1.00-1.50 15 NEW 900 PROP Proposed RP861549 253°38' Lot 12 13 ROAD Proposed Lot 14 *355* m² 8 9 CP 10 11 , 12<mark>|</mark> 13 <mark>|</mark>14|15| ₁₆ | SP306151 18 19 20 EmtD RP86/549 901 tmt D 23 RP861549 RP 208941 22 21 RP208490 "This plan shows the general location of the proposed Proposed lot in relation to the other proposed lots in the Estate. Lot 901— Emt D Refer to the Disclosure Plan for identification and RP861549 location of the proposed lot. The Seller reserves the right to alter the configurations of other lots as identified in this plan at its absolute discretion.' Scale 1:250 - Lengths are in Metres. Scale 1:1000 - Lengths are in metres. 12 14 16 18 20 22 24 26 28 30 32 34 36 38 10 50 60 70 90 100 110 0 **LEGEND DISCLOSURE PLAN** Retaining Wall —— 22·0 — Design Contours PLAN PREPARED BY: Design Building Pad 17.60 SOUTH BURNETT SURVEYS PTY. LTD. Design Pad Level Design Batter PROPOSED LOT 13 The dimensions and areas shown hereon Brisbane & Sunshine Coast - Ph. 5422 0200 are subject to field survey and also to the BEING PART OF LOT 16 ON RP861549 I. Allotments may have been trimmed, reshaped and topsoil respread. Any earthworks or fill associated with those works is not shown and has not South Burnett & Western Downs - Ph. 4162 2647 requirements of Council and any other been subject to engineering compaction requirements. It is anticipated the depth of such works would not exceed 450mm, however, isolated areas admin@onfsurveyors.com.au authority which may have requirements LAND AT '156-162 PITT RD' greater than the depth may occur. under any relevant legislation. COMP FILE: DP_10403.dwg 2. It is the purchasers responsibility to arrange their own independent geotechnical testing on a filled or any allotment to determine foundation **BURPENGARY** requirements prior to construction. Contour Interval 0.5 Metres. 3. It is the purchasers responsibility to obtain the accurate location of services from the local authority. DATE: 1/11/2022 REBCALFAN METRES 1:1000 4. The dimensions and areas shown on this plan are subject to final council sealing approval and registration in the Department of Resources. This note is an intergral part of this plan.

LOCATION MAP All compaction of Fill to be done in accordance 156-170 PITT ROAD with AS3798-2007. ROAD The compaction level and testing will be completed in accordance with Australian Standard AS3798-2007. PITT ⁹⁸°52'20" FILL TABLE ROAD Fill Range (metres) PROPOSED Stn | on SP306151 EASEMENTS 0.00-0.25 being the north westernmost Cor of CP on SP306/5/ 0.25 - 0.5018-26 PROPOSED 18.26 6 EMTS 5 0.50-1.00 2 1.00-1.50 24 23 15 NEW 900 PROP -249022'45" RP861549 Proposed ROAD Lot 13 266 m 8 Proposed 9 CP 10 Lot 15 11 / 12 / 13 <mark>/</mark>14<mark>/</mark>15/ 16 SP306151 17 18 19 20 EmtD RP86/549 901 EmtD 23 RP861549 RP 208941 22 21 RP208490 Proposed "This plan shows the general location of the proposed Lot 901lot in relation to the other proposed lots in the Estate. Refer to the Disclosure Plan for identification and RP861549 location of the proposed lot. The Seller reserves the right to alter the configurations of other lots as identified in this plan at its absolute discretion.' Scale 1:250 - Lengths are in Metres. Scale 1:1000 - Lengths are in metres. 10 12 14 16 18 20 22 24 26 28 30 32 34 36 38 50 60 70 90 100 110 0 **LEGEND DISCLOSURE PLAN** -22·0 — Design Contours Retaining Wall PLAN PREPARED BY: Design Building Pad 17.60 SOUTH BURNETT SURVEYS PTY. LTD. Design Pad Level Design Batter PROPOSED LOT 14 The dimensions and areas shown hereon Brisbane & Sunshine Coast - Ph. 5422 0200 are subject to field survey and also to the BEING PART OF LOT 16 ON RP861549 I. Allotments may have been trimmed, reshaped and topsoil respread. Any earthworks or fill associated with those works is not shown and has not South Burnett & Western Downs - Ph. 4162 2647 requirements of Council and any other been subject to engineering compaction requirements. It is anticipated the depth of such works would not exceed 450mm, however, isolated areas admin@onfsurveyors.com.au authority which may have requirements LAND AT '156-162 PITT RD' greater than the depth may occur. under any relevant legislation. COMP FILE: DP_10403.dwg 2. It is the purchasers responsibility to arrange their own independent geotechnical testing on a filled or any allotment to determine foundation **BURPENGARY** requirements prior to construction. Contour Interval 0.5 Metres. 3. It is the purchasers responsibility to obtain the accurate location of services from the local authority. DATE: 1/11/2022 REBCALE4N3METRES4

This note is an intergral part of this plan.

4. The dimensions and areas shown on this plan are subject to final council sealing approval and registration in the Department of Resources.

1:1000


LOCATION MAP NEW All compaction of Fill to be done in accordance ROAD 156-170 PITT ROAD with AS3798-2007. The compaction level and testing will be completed in accordance with Australian Standard AS3798-2007. <u>/9</u>8°52'20″ PITT ROAD FILL TABLE PROPOSED 18.23 Stn | on SP306151 EASEMENTS Fill Range (metres) being the north westernmost Cor of CP on SP306/5/ 0.00-0.25 PROPOSED 6 EMTS 0.25-0.50 5 2 0.50 - 1.0024 1.00-1.50 23 15 Proposed Lot 14 15 Proposed NEW 900 PROP Lot 16 **266** m RP861549 249022'45" ROAD 8 9 10 | 12 | 13 | 14 <mark>|</mark> 15 <mark>|</mark> 16 | 11 18.5 17 18 19 20 EmtD RP86/549 Emto RP861549 901 23 RP 208941 22 Emt D 21 Proposed Lot 901 RP208490 "This plan shows the general location of the proposed lot in relation to the other proposed lots in the Estate. Refer to the Disclosure Plan for identification and location of the proposed lot. The Seller reserves the right to alter the configurations of other lots as identified in this plan at its absolute discretion.' Scale 1:250 - Lengths are in Metres. Scale 1:1000 - Lengths are in metres. 12 14 16 18 20 22 24 26 28 30 32 34 36 38 10 50 60 70 80 90 100 110 0 **LEGEND DISCLOSURE PLAN** Retaining Wall —— 22·0 — Design Contours PLAN PREPARED BY: Design Building Pad SOUTH BURNETT SURVEYS PTY. LTD. 17.60 Design Pad Level Design Batter PROPOSED LOT 15 The dimensions and areas shown hereon Brisbane & Sunshine Coast — Ph. 5422 0200 are subject to field survey and also to the BEING PART OF LOT 16 ON RP861549 I. Allotments may have been trimmed, reshaped and topsoil respread. Any earthworks or fill associated with those works is not shown and has not South Burnett & Western Downs - Ph. 4162 2647 requirements of Council and any other been subject to engineering compaction requirements. It is anticipated the depth of such works would not exceed 450mm, however, isolated areas admin@onfsurveyors.com.au authority which may have requirements

CP

SP306151

LAND AT '156-162 PITT RD' greater than the depth may occur. under any relevant legislation. COMP FILE: DP_10403.dwg 2. It is the purchasers responsibility to arrange their own independent geotechnical testing on a filled or any allotment to determine foundation **BURPENGARY** requirements prior to construction. Contour Interval 0.5 Metres. 3. It is the purchasers responsibility to obtain the accurate location of services from the local authority. DATE: 1/11/2022 REBCALE4N3METERES 1:1000 4. The dimensions and areas shown on this plan are subject to final council sealing approval and registration in the Department of Resources. This note is an intergral part of this plan.

NOTE: All compaction of Fill to be done in accordance with AS3798-2007. The compaction level and testing will be completed in accordance with Australian Standard AS3798-2007. FILL TABLE Fill Range (metres) 0.00-0.25 0.25-0.50 0.50-1.00 1.00-1.50



I. Allotments may have been trimmed, reshaped and topsoil respread. Any earthworks or fill associated with those works is not shown and has not been subject to engineering compaction requirements. It is anticipated the depth of such works would not exceed 450mm, however, isolated areas greater than the depth may occur.

2. It is the purchasers responsibility to arrange their own independent geotechnical testing on a filled or any allotment to determine foundation requirements prior to construction.

3. It is the purchasers responsibility to obtain the accurate location of services from the local authority.

10

−22·0 −− Design Contours

Design Pad Level


17.60

4. The dimensions and areas shown on this plan are subject to final council sealing approval and registration in the Department of Resources.

LOCATION MAP

156-170 PITT ROAD





Scale 1:1000 - Lengths are in metres. 50 60 70 90 100 110 0

DISCLOSURE PLAN

DESCRIPTION: PROPOSED LOT 16 BEING are subject to field survey and also to the PART OF LOTS 16 & 17 ON RP861549

BURPENGARY



Brisbane & Sunshine Coast - Ph. 5422 0200 South Burnett & Western Downs - Ph. 4162 2647 admin@onfsurveyors.com.au

COMP FILE: DP_10403.dwg

DATE: 1/11/2022

PLAN PREPARED BY: SOUTH BURNETT SURVEYS PTY. LTD. The dimensions and areas shown hereon

requirements of Council and any other

authority which may have requirements

This note is an intergral part of this plan.


under any relevant legislation.


Contour Interval 0.5 Metres.


LAND AT '156-170 PITT RD'


1:1000


REBCALE 4N METERES





















FLOOR PLAN

Ariana 164



WATTLE GREEN ESTATE

STAGE 2

LOT 23 NEW ROAD, BURPENGARY QLD.









We build futures...





LIFESTYLE INCLUSIONS

FRD Homes specialises in in putting the home into every build.

Whether you're building for investment or to create a home, our Lifestyle Inclusions package will ensure a home that is practical, refined and designed for everyday living.

The fixtures and fittings in our Lifestyle package are modern, balanced and refreshing.

Pre-Construction

- > Engineers soil report and slab design
- Council building application fees (standard applications based on Local City Council excluding town planning, bonds etc.)

Site Works, Foundations and Connections

- > Fixed price site works including cut/fill
- > Engineer designed concrete slab and footings with control joints where applicable
- > Timber frame and trusses
- > Termite treatment to slab penetrations and physical perimeter barrier
- > Sewer and storm water connections to existing serviceable connection points
- > Water connection from pre-tapped water main

Energy Efficiency

- > 7 Star Rated as per government regulations.
- > Ceiling batts where required to achieve 7 Star Rating
- > Wall batts where required to achieve 7 Star Rating
- > Wall-wrap to external walls where required to achieve 7 Star Rating
- > Energy efficient hot water unit
- > Weather seals fitted to external hinged doors
- > Energy efficient down lights to dwelling and garage
- > Ceiling fan from Builders' Range to alfresco and living area
- > Anticon blanket to underside of roof







Bricks, Windows, Roofing and Garage

- Select Range of clay bricks from the Builders' Standard Range (refer plans for details)
- > Natural mortar with ironed joints
- > Feature render finish to front façade (where required refer plan for details)
- > Powder coated aluminium windows in the standard Builders' Standard Range of colours
- > Powder coated aluminium framed fibreglass flyscreens to all openable windows
- > Grill style barrier screen to living/alfrescosliding door and laundry sliding doors (where applicable)
- > Keyed window locks to all opening sashes and sliding doors
- > Metal roof in the standard Builders' Standard Range of colours (refer plans for details)
- > Auto sectional garage door to the front facade of the garage in Builders' Standard Range of colours including (2) handsets
- Metal fascia and gutter in the standard Builders' Standard Range of colours
- Obscure glass to bathroom, ensuite and W.C windows

Bathroom, Ensuite and W.C

- > 20mm stone bench tops from Builders' Standard Range
- > Laminate finish vanities in the standard Builders' Standard Range of laminates & door handles (soft close hinges to doors)
- > 1970mm high clear laminated aluminium semiframed shower screens in the Builders' Standard Range of colours
- > Builders' Standard Range white acrylic bath (1525mm)
- > 1050mm high frameless polished edge mirrors fitted to same width as vanity unit
- > Chrome mixer tapware from Builders' Standard Range
- > Chrome metal double towel rails and toilet roll holders from Builders' Standard Range
- > Dual flush vitreous china with soft close seat from Builders' Standard Range
- Semi inset basin china basins with overflow from Builders' Standard Range
- > Hand shower on rail from Builders' Standard Range

Tiles and Tiling

- > 450 x 450mm pressed edge ceramic tiles from Builders' Standard Range to main floor and wet area floors, cut to 200mm high tile skirt to wet areas and as feature to bath face and hob (refer plans).
- > 250 x 400mm pressed edge ceramic tiles from Builders' Standard Range to 2000mm high tiling to shower areas and 500mm high tiling above bath walls
- > 100 x 300mm pressed edge ceramic tiles from Builders' Standard Range to kitchen and laundry splash back to 600mm high or to underside of overhead cupboards



Electrical

- > Earth leakage safety switch and circuit breakers
- Single phase power connection from existing supply point. Meter box will be installed on the side nearest mains connection point
- > Double power point to each room as per electrical plan
- One (1) television point to each living/lounge + bedroom 1 (complete with 6 lineal metres of cable and antenna)
- > Smoke detectors (hard wired with battery backup)
- > Provide NBN lead in conduit only (ready for connection by others, developer/owner responsible for supply connection to property boundary)
- > Pre-wiring for two (2) phone/data points
- > Weatherproof external light fittings (where applicable)
- > Ceiling fans from Builders' Standard Range to bedrooms, lounge/living
- > Exhaust fan to internal bathroom, ensuite and powder room or WC (if applicable) as per NCC
- > Wall mounted split system reverse cycle air conditioner to living room
- > Wall mounted split system reverse cycle air conditioner to Bedroom 1

Kitchen

- > 20mm stone bench tops from Builders' Standard Range
- > Laminate finish to joinery in the standard Builders' Standard Range of laminates with sharknose finger pull (soft close hinges to doors)
- > Overhead cupboards to kitchen with plaster lined bulkhead (where applicable) - refer plan for details
- > Builders' Standard Range 600mm stainless steel under bench oven
- > Builders' Standard Range 600mm electric ceramic cooktop
- > Builders' Standard Range freestanding stainlesssteel dishwasher
- > Builders' Standard Range 600mm wide stainless steel retractable slide out rangehood
- > Builders' Standard Range Inset stainless steel kitchen sink with drainer
- > 2 x pendant lights above island bench (if applicable) from Builders' Standard Range
- > Gooseneck style kitchen sink mixer from Builders' Standard Range
- > 4 x melamine shelving to WIP (if applicable to design)





Included Internal and External Features

- > 2440mm nominal ceiling height
- > Paint grade feature external front door with clear glazing from Builders' Standard Range (refer plans)
- > Flush panel paint grade external hinged doors to other external doors (where applicable)
- > Paint grade flush panel internal passage doors, 870mm wide where required
- > Builders' Standard Range Tri-Lock leverset to front entry door
- > Builders' Standard Range lockset to all other external hinged doors
- Internal lever door furniture from Builders' Standard Range
- > Builders' Standard range cushion door stops throughout
- > 90mm paint grade coved cornice, 42 x 11mm paint grade splayed architraves and 68 x 11mm paint grade splayed skirting
- > Three (3) coat, one colour internal paint system to Manufacturers specifications in Builders' Standard colour or builders white
- > Two (2) coats to ceiling to paint manufacturers standard specifications
- > Two (2) coat external paint system to external trim and doors to paint manufacturers standard specifications
- > Framed mirror sliding robe doors and melamine single rail and shelf to wardrobes
- > Framed vinyl sliding doors to linen with melamine shelving (where applicable refer plan for details)
- Roller blinds to all windows and sliding glass doors excludes wet areas, window behind cooktop (where applicable) and garage
- > Builders' Standard Range carpet to bedrooms, lounge, staircase (if applicable) as per plan

- > Freestanding Laundry cabinet with stainless steel tub from Builders' standard Range.
- > Two (2) external garden hose taps
- > AAA rated hand shower rail and tapware
- > 500 KPA water pressure limiting device
- Exposed aggregate (unsealed) concrete from Builders'
 Standard Range to driveway, path and alfresco
- > Landscaping including A grade Wintergreen turf to front and rear yard and Builders' Standard grade garden bed to front garden with garden edging
- > Butted unfinished pine fencing to side and rear boundaries including returns and gate
- > Fold down clothesline from Builders' Standard Range
- > Render finish painted letterbox and metal insert from Builders' Standard Range
- Cover grade MDF staircase with paint grade pine post and hand rail and powder coat balustrading (if applicable to design)

Warranties

- > Twelve months maintenance period
- > 6 year structural guarantee

FRD Homes Pty Ltd reserves the right to alter any of the above inclusions due to continuing product development or availability of items

OUR PROMISE TO YOU



FRD Guarantee of Price



FRD Homes will lock in your price from when you sign contracts. Fixed price time frames vary so please ask for specific details.

12 Month Maintenance



Clients receive our ongoing support after we hand over the keys which provides the opportunity to address concerns clients have as they settle in to their new home.

NCC Compliant Designs



Respecting the sustainability & accessibility guidelines of the new National Construction Code (NCC), each home design considers the environment and community while meeting the needs of our clients, the lot size and block shape.

Trades & Suppliers



You can be assured that FRD Homes will deliver your dream home. We foster great relationships with many the highest quality & trusted suppliers for the best products and service.

Communication



Your dedicated one point of contact from Pre-site to Handover provides you mandatory fortnightly construction updates and available for all things else.

Builder of Choice

Since 2017, over 1200 FRD homes have been built for many happy clients and families, 400 of them in the past year!



Four Stage Quality Assurance

We believe that quality is non-negotiable. Our 4 stage quality assurance inspections are a testament to our unwavering dedication to delivering outstanding results. Trust us with your project, and experience the peace of mind that comes from working with a construction company that goes the extra mile to ensure your satisfaction.

Our internal quality assurance inspections are completed at the following key stages throughout your build:

- 1. Pre-Start Foundation Inspection
- 2. Framing Inspection
- 3. Pre-Paint Inspection
- 4. Final Inspection



Home Owner Warranty Insurance

You can have peace of mind knowing you are insured from the moment deposits are paid. Mandatory 6 year structural warranty and 25 year engineering warranty are provided.